

Sony VAIO® C1 PictureBook™ Notebook Computer



VAIO

FEATURES

- Crusoe™ processor
TM5600 600 MHz¹
- Simple one-button movie and still image capture with Sony's Smart Capture software
- 128 MB SDRAM
- Sony MagicGate™ Memory Stick® media slot
- Sony original programmable Jog Dial™ control
- Integrated V.90 56K³ modem
- High-capacity Lithium-Ion battery
- Durable magnesium-alloy case
- 8.9" UWXGA (1024 x 480) TFT screen with XWIDE™ polysilicon display technology
- i.LINK® (IEEE 1394) S400 interface for DV editing and simple networking between equipped VAIO computers⁹
- 1 type II PC card slot with CardBus support
- 1 USB port
- Built-in stereo speakers
- Bundled standard battery

¹ MHz denotes microprocessor internal clock speed; other factors may affect application performance.

² GB means one billion bytes when referring to hard drive capacity. Accessible capacity may vary.

³ i.LINK is a trademark of Sony used only to designate that a product contains an IEEE 1394 connector. All products with an i.LINK connector may not communicate with each other.

⁴ Due to FCC limitations, speeds of 53kbps are the maximum permissible transmit power levels during download transmissions. Actual data speeds will vary depending on line conditions.

⁵ Estimated battery life. Actual battery life may vary on usage.

⁶ Certain restrictions apply to Express Repair Service.

⁷ From date of purchase, upon registration.

⁸ Requires payment of additional fees or subscription for use.

⁹ Can only be used with AC adapter.

Sony Electronics Inc.

Personal Network Solutions Company
16765 West Bernardo Drive, San Diego, CA 92127
For more information: 1.800.4SONYPC (476-6972)
Web address: <http://www.sony.com/vaio>

Computer Interface: The computer industry lacks standards, and therefore, there are a multitude of varying software packages and add-on hardware options. This personal computer is not manufactured to any specific software, and Sony does not and cannot make any warranty or representation with respect to the performance of this product with any particular software packages and/or non-Sony add-on hardware option except those mentioned in this document. Sony hereby disclaims any representations or warranty that this product is compatible with any combination of products you may choose to connect. While Sony representatives or Sony authorized dealers may be able to assist you and may make recommendations, they are NOT authorized to vary or waive this disclaimer. Purchasers must determine for themselves the suitability and compatibility of the hardware and software in each and every particular instance. Some pre-installed software titles may not include full documentation. Software titles pre-installed on the Sony Notebook Computer are subject to change without notice. Simulated graphic shown on display.

©2000 Sony Electronics Inc. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Sony, i.LINK and VAIO are registered trademarks and 3MAX+, DVgate, Jog Dial, Media Bar, PictureGear and XWIDE are trademarks of Sony. Intel and Pentium are registered trademarks of Intel Corporation. Microsoft and Windows are trademarks of Microsoft Corporation. All other trademarks are trademarks of their respective owners. This product meets the standards of the International Energy Star Program for energy efficiency. Features and specifications are subject to change without notice. Non-metric weights and measurements are approximate.

Printed in U.S.A. 09/00

- About 1" thin, 2.2 lbs. light
- Windows® Me notebook with integrated swivel camera
- Crusoe™ processor
TM5600 600 MHz¹
- 12.0 GB² hard drive
- Sony MagicGate™ Memory Stick® media slot
- Sony original programmable Jog Dial™ control
- i.LINK® (IEEE 1394) interface³

ADDITIONAL SPECIFICATIONS

| | |
|--|--|
| Model PCG-C1VN | Power Management Energy Star compliant Advanced power management - ACPI compatible |
| Processor Crusoe™ processor TM5600 600 MHz ¹ | Size (H x W x D) 1.06" X 9.8" X 6.0" |
| Cache Memory 512 KB integrated on-die level 2 | Weight 2.2 lbs. (with standard battery) |
| Bus Architecture PCI/AGP | Supplied Accessories Standard Lithium-Ion battery, AC adapter, VGA monitor adapter |
| Built-in Camera 1/6" CCD camera CCD resolution: 350,000 pixels Lens: f=2.8mm/F 2.8 | Optional Accessories External CD-RW drive (PCGA-CDRW52) External DVD-ROM drive (PCGA-DVD51/A) ⁹ External USB floppy drive (PCGA-UFD5) External 16X max. CD-ROM drive (PCGA-CD51/A) Additional Standard Lithium-Ion battery (PCGA-BP51A) Double-capacity Lithium-Ion battery (PCGA-BP52A) Quad-capacity Lithium-Ion battery (PCGA-BP54) Battery charger (PCGA-BC5) USB mouse (PCGA-UMS1/A) Additional AC adapter (PCGA-AC16V2) 64 MB memory (PCGA-MM164) |
| LCD 8.9" UWXGA (1024 x 480) TFT with XWIDE™ display technology | Service One year limited Express Service ⁶ |
| Graphics ATI RAGE™ MOBILITY graphics chip with 8.0 MB SDRAM with 3D acceleration support | Limited Warranty One year parts and labor (90 days without registration) ⁷ |
| Digital Audio Hardware MIDI | Telephone Support Hardware: One year ⁷ Software and operating system: 90 Days ⁷ |
| MPEG MPEG1 digital video | INCLUDED SOFTWARE |
| Standard RAM 128 MB SDRAM, expandable to 192 MB | Operating System Microsoft® Windows® Millennium Edition |
| Hard Drive 12.0 GB ² fixed | Software Applications Adobe Acrobat® Reader Intuit® Quicken® 2000 Basic McAfee® VirusScan® Microsoft® Word 2000 QuickTime™ RealNetworks RealPlayer® 7 Basic Sony DVgate™ Sony Media Bar™ Sony MovieShaker™ Sony PictureGear™ Sony Smart Capture |
| Floppy Disk Drive External 1.44 MB, 3.5" (not bundled) | Online Center America Online® ⁸ CompuServe® 2000® EarthLink Network TotalAccess® ⁸ Netscape Communicator® Prodigy Internet® ⁸ VAIO Support Agent |
| Modem Integrated V.90 56K ⁴ modem | |
| Keyboard 86 key QWERTY layout Approx. 17mm key pitch 2mm stroke | |
| Pointing Device Stick-type pointing device compatible with scroll function and Jog Dial | |
| Speakers Built-in stereo speakers | |
| Microphone Built-in (mono) | |
| Battery Supports standard (included), double-capacity (optional), and quad-capacity (optional) Lithium-Ion batteries | |
| Battery Life 2.5–5.5 hours (with supplied standard battery) ⁵ 5.0–11.0 hours (with double-capacity battery) ⁵ 8.0–20.0 hours (with quad-capacity battery) ⁵ | |
| PC Card Slot Supports one type II card CardBus support | |
| Other Interfaces VGA output, USB, i.LINK® (IEEE 1394) S400 interface, RJ-11 phone jack, audio in, headphone output, MagicGate™ Memory Stick® interface | |
| Power Requirements 40 Watts maximum (16V DC / AC100-240V) | |