

CHART

**1996 CTV
SPECIFICATIONS
AND FEATURES**

1996 Feature Specifications	KV9PT50	KV9PT60	KV13M20	KV13M30	KV13M31	KV13V50	KV20M20	KV20S20	KV20S21	KV20S30	KV20V60
DIMENSIONS											
Screen Size	9"	9"	13"	13"	13"	13"	20"	20"	20"	20"	20"
Cabinet	White	Gray	Gray	Gray	White	Gray	Gray	Gray	White	Gray	Gray
Width (inches)	10 1/4"	10 1/4"	14 1/8"	14 1/8"	14 1/8"	15 1/2"	20 1/2"	20 1/2"	20 1/2"	20 1/2"	21 3/4"
Height (inches)	10 1/2"	10 1/2"	13 1/2"	13 1/2"	13 1/2"	13 1/2"	18 3/4"	18 3/4"	18 3/4"	18 3/4"	18 3/4"
Depth (inches)	12 1/8"	12 1/8"	15 3/4"	15 3/4"	15 3/4"	16"	18 1/2"	18 1/2"	18 1/2"	18 1/2"	18 5/8"
Weight	12 lbs 20z	12 lbs 90z	22 lbs	22 lbs	22 lbs	25 lbs 13 oz	46 lbs 13 oz	46 lbs 13 oz	46 lbs 13 oz	46 lbs 13 oz	52 lbs 15 oz
PICTURE											
TRINITRON Picture Tube	•	•	•	•	•	•	•	•	•	•	•
Deep Black Screen	•	•	•	•	•	•	•	•	•	•	•
Channel Coverage	181 ch.	181 ch.	181 ch.	181 ch.	181 ch.	181 ch.	181 ch.	181 ch.	181 ch.	181 ch.	181 ch.
Auto Pedestal Clamp	•	•	•	•	•	•	•	•	•	•	•
Auto White Balance	•	•	•	•	•	•	•	•	•	•	•
Comb Filter	•	•	•	•	•	•	•	•	•	•	•
Dynamic Picture	•	•	•	•	•	•	•	•	•	•	•
AUDIO											
MTS Stereo with dbx NR	•	•	•	•	•	•	•	•	•	•	•
Audio Power	1.8W	1.8W	2W	2W	2W	2W x 2	2W	2W x 2	2W x 2	2W x 2	2W x 2
Matrix Surround	•	•	•	•	•	•	•	•	•	•	•
Speaker On/Off	•	•	•	•	•	•	•	•	•	•	•
TERMINAL											
A/V Input (Rear)	1	1	1	1	1	1	1	1	1	1	1
S-Video Input	•	•	•	•	•	•	•	•	•	•	•
A/V Input (Front)	•	•	•	•	•	•	•	•	•	•	•
Earphone/Headphone Jack	•	•	•	•	•	•	•	•	•	•	•
Fixed/Variable Audio Output	•	•	•	•	•	•	•	•	•	•	•
OTHER											
A/V Window	•	•	•	•	•	•	•	•	•	•	•
Channel Guide	•	•	•	•	•	•	•	•	•	•	•
Channel Block (2ch)	•	•	•	•	•	•	•	•	•	•	•
Channel Caption	•	•	•	•	•	•	•	•	•	•	•
Sleep (30/60/90)	•	•	•	•	•	•	•	•	•	•	•
Jump	•	•	•	•	•	•	•	•	•	•	•
CaptionVision	•	•	•	•	•	•	•	•	•	•	•
English/Spanish OSD	•	•	•	•	•	•	•	•	•	•	•
XDS	•	•	•	•	•	•	•	•	•	•	•
REMOTE CONTROL											
Model Name	RM-Y116	RM-Y116	RM-Y116	RM-Y116	RM-Y116	RM-Y116	RM-Y116	RM-Y116	RM-Y116	RM-Y116	RM-Y117
Universal Remote Control	•	•	•	•	•	•	•	•	•	•	•
MISCELLANEOUS											
Dual Mode Swivel Bracket	•	•	•	•	•	•	•	•	•	•	•
Rod Antenna	•	•	•	•	•	•	•	•	•	•	•
AC/DC Operation	•	•	•	•	•	•	•	•	•	•	•

©1996 Sony Electronics Inc.
 Reproduction in whole or in part without written permission is prohibited.
 All rights reserved. All dimensions are rounded up to the nearest 1/8".
 L/R audio jacks are shared between composite and S-Video jacks.
 EXP = Expanded A/V Window
 Remote Commander, Sony, Trinitron, Dynamic Picture, and Matrix Surround,
 are trademarks of Sony.
 dbx is a trademark of Carillon Electronics.

Features and specifications are subject to change without notice.
 Non-metric weights and measures are approximate.
 Stereo Reception: Stereo and separate audio program (SAP) reception is only available
 from broadcasts encoded with these services.

CHART

**1996 CTV
SPECIFICATIONS
AND FEATURES**

1996 Feature Specifications	KV27S20	KV27S25	KV27S35	KV27V20	KV27V25	KV27V35
DIMENSIONS						
Screen Size	27"	27"	27"	27"	27"	27"
Cabinet	Gray	Gray	Gray	Gray	Gray	Gray
Width (inches)	26"	26"	26"	27 1/4"	27 1/4"	27 1/4"
Height (inches)	23 3/4"	23 3/4"	23 3/4"	22 3/4"	22 3/4"	22 3/4"
Depth (inches)	20 5/8"	20 5/8"	20 5/8"	19 7/8"	19 7/8"	19 7/8"
Weight	89 lbs 8 oz	89 lbs 8 oz	89 lbs 8 oz	94 lbs 13 oz	94 lbs 13 oz	94 lbs 13 oz
PICTURE						
TRINITRON Picture Tube	•	•	•	•	•	•
Deep Black Screen	•	•	•	•	•	•
Channel Coverage	181 ch.	181 ch.	181 ch.	181 ch.	181 ch.	181 ch.
Auto Pedestal Clamp	•	•	•	•	•	•
Auto White Balance	•	•	•	•	•	•
Comb Filter	•	•	•	•	•	•
Dynamic Picture Circuitry	•	•	•	•	•	•
Velocity Modulation Scanning						•
Wideband Signal Processor				•	•	•
Wideband Video Amplifier				•	•	•
AUDIO						
MTS Stereo with dbx NR	•	•	•	•	•	•
Audio Power	5W x 2	5W x 2	5W x 2	5W x 2	5W x 2	10W x 2
Dynamic Acoustic Chamber				•	•	•
Matrix Surround Sound	•	•	•	•	•	•
Fixed/Variable Audio Output	•	•	•	•	•	•
SRS				•	•	•
TERMINAL						
A/V Input (Rear)	1	2	2	2	2	2
S-Video Input		•	•	•	•	•
A/V Input (Front)				•	•	•
RF Input	1	1	2	1	1	2
Monitor Output				•	•	•
Fixed/Variable Audio Output	•	•	•	•	•	•
S-Link Connector					•	•
OTHER						
PIP		1 T	2 T		1 T	2 T
Program Palette	•	•	•	•	•	•
New Favorite Channel	•	•	•	•	•	•
Channel Caption	•	•	•	•	•	•
Channel Guide	•	•	•	•	•	•
Sleep (30/60/90)	•	•	•	•	•	•
English/Spanish Display	•	•	•	•	•	•
Jump	•	•	•	•	•	•
Programmable Timer				•	•	•
Channel Block (2 ch)	•	•	•	•	•	•
XDS	•	•	•	•	•	•
Easy Setup Guide	•	•	•	•	•	•
Light Sensor				•	•	•
Video Label				•	•	•
REMOTE/STAND						
Model Name	RM-Y135	RM-Y136	RM-Y136	RM-Y135	RM-Y137	RM-Y137
Universal Remote Control w/ Thumb Scan Control	•	•	•	•	•	•
Optional Stand	SU-27A	SU-27A	SU-27A	SU-27A	SU-27A	SU-27A

©1996 Sony Electronics Inc.
 Reproduction in whole or in part without written permission is prohibited.
 All rights reserved. All dimensions are rounded up to the nearest 1/8".
 L/R audio jacks are shared between composite and S-Video jacks.
 EXP = Expanded A/V Window
 Remote Commander, Sony, Trinitron, Dynamic Picture, Matrix Surround, S-Link,
 and Velocity Modulation are trademarks of Sony.

SRS is a trademark of SRS Labs, Inc.
 dbx is a trademark of Carillon Electronics.
 Features and specifications are subject to change without notice.
 Non-metric weights and measures are approximate.
 Stereo Reception: Stereo and separate audio program (SAP) reception is only
 available from broadcasts encoded with these services.

CHART

SONY

1996 CTV SPECIFICATIONS AND FEATURES

1996 Feature Specifications	KV32S20	KV32S25	KV32S35	KV32V25	KV32V35	KV32TW25	KV35V35	KV35V75
DIMENSIONS								
Screen Size	32"	32"	32"	32"	32"	32"	35"	35"
Cabinet	Gray	Gray	Gray	Gray	Gray	Wood	Gray	Gray
Width (inches)	30 ³ / ₄ "	30 ³ / ₄ "	30 ³ / ₄ "	33 ¹ / ₂ "	33 ¹ / ₂ "	37 ¹ / ₈ "	37 ⁵ / ₈ "	37 ⁵ / ₈ "
Height (inches)	28 ¹ / ₈ "	28 ¹ / ₈ "	28 ¹ / ₈ "	27 ⁵ / ₈ "	27 ⁵ / ₈ "	44 ⁵ / ₈ "	29 ⁷ / ₈ "	49 ³ / ₈ "
Depth (inches)	23"	23"	23"	24 ¹ / ₈ "	24 ¹ / ₈ "	26 ¹ / ₈ "	26 ¹ / ₄ "	28 ¹ / ₈ "
Weight	141 lbs 12 oz	141 lbs 12 oz	141 lbs 12 oz	154 lbs 6 oz	154 lbs 6 oz	240 lbs	198 lbs 7 oz	279 lbs 6 oz
PICTURE								
TRINITRON Picture Tube	•	•	•	•	•	•	•	•
Deep Black Screen	•	•	•	•	•	•	•	•
Channel Coverage	181 ch.	181 ch.	181 ch.	181 ch.	181 ch.	181 ch.	181 ch.	181 ch.
Auto Pedestal Clamp	•	•	•	•	•	•	•	•
Auto White Balance	•	•	•	•	•	•	•	•
Comb Filter	•	•	•	•	•	•	•	•
Dynamic Picture Circuitry	•	•	•	•	•	•	•	•
Velocity Modulation Scanning					•		•	•
Wideband Signal Processor				•	•		•	•
Wideband Video Amplifier				•	•		•	•
Dynamic Focus Circuitry							•	•
Dynamic Quadra Port							•	•
AUDIO								
MTS Stereo with dbx NR	•	•	•	•	•	•	•	•
Audio Power	5W x 2	5W x 2	5W x 2	5W x 2	10W x 2	5W x 2	10W x 2	10W x 2
Dynamic Acoustic Chamber				•	•		•	•
Matrix Surround	•	•	•	•	•	•	•	•
Fixed/Variable Audio Output	•	•	•	•	•	•	•	•
SRS				•	•		•	•
TERMINAL								
A/V Input (Rear)	1	2	2	2	2	2	2	2
S-Video Input		•	•	•	Front/Rear	•	•	Front/Rear
A/V Input (Front)				•	•		•	•
RF Input	1	1	2	1	2	1	2	2
Monitor Output				•	•		•	•
S-Link Connector				•	•		•	•
OTHER								
PIP		1 T	2 T	1 T	2 T	1 T	2 T	2 T
Program Palette	•	•	•	•	•	•	•	•
New Favorite Channel	•	•	•	•	•	•	•	•
Channel Caption	•	•	•	•	•	•	•	•
Sleep	•	•	•	•	•	•	•	•
English/Spanish Display	•	•	•	•	•	•	•	•
Jump	•	•	•	•	•	•	•	•
Programmable Timer				•	•		•	•
Channel Block (2 ch)	•	•	•	•	•	•	•	•
XDS	•	•	•	•	•	•	•	•
Easy Setup Guide	•	•	•	•	•	•	•	•
Light Sensor				•	•		•	•
Video Label				•	•		•	•
REMOTE/STAND								
Model Name	RM-Y135	RM-Y136	RM-Y136	RM-Y137	RM-Y137	RM-Y136	RM-Y137	RM-Y137
Universal Remote Control w/Thumb Scan Control	•	•	•	•	•	•	•	•
Optional Stand	SU-32A	SU-32A	SU-32A	SU-32A	SU-32A		SU-35A	

©1996 Sony Electronics Inc.
 Reproduction in whole or in part without written permission is prohibited.
 All rights reserved.
 All dimensions are rounded up to the nearest 1/8".
 L/R audio jacks are shared between composite and S-Video jacks.
 EXP = Expanded A/V Window
 Remote Commander, Sony, Trinitron, Dynamic Picture, Dynamic Focus,
 Matrix Surround, S-Link, and Velocity Modulation are trademarks of Sony.

SRS is a trademark of SRS Labs, Inc.
 dbx is a trademark of Carillon Electronics.
 Features and specifications are subject to change without notice.
 Non-metric weights and measures are approximate.
 Stereo Reception: Stereo and separate audio program (SAP) reception is only
 available from broadcasts encoded with these services.