

SONY

SPP-Q150

CORDLESS TELEPHONE

FEATURES AND
SPECIFICATIONS
SUBJECT TO CHANGE
WITHOUT NOTICE

- **CLEAR SCAN 25™ AUTOMATIC CHANNEL SELECTION**
- **COMPANDER PROSOUND™ NOISE REDUCTION**
- **VOICE SCRAMBLE FOR PRIVACY**
- **BASE-TO-HANDSET PAGING**
- **10 NUMBER SPEED DIAL**
- **14 DAY BATTERY STANDBY**
- **LOW BATTERY INDICATOR**
- **OUT-OF-RANGE ALERT**
- **LAST NUMBER REDIAL**
- **BATTERY SAVE MODE**
- **WALL-MOUNTABLE**

Clear**Scan** **25**
Automatic Channel Selection



SPP-Q150

FEATURES

- **25 CHANNEL TRANSMISSION WITH AUTO-SCAN** tests all 25 available channels when you turn the phone on and operates on the channel offering the clearest reception
- **COMPANDER PROSOUND NOISE REDUCTION SYSTEM** suppresses transmission static to provide telephone conversations against a background of silence
- **VOICE SCRAMBLE** automatically scrambles your conversation between the cordless handset and base unit, providing you with security against potential eavesdroppers
- **BASE-TO-HANDSET PAGING** sends a beep from the base to the handset, allowing you to signal a co-worker or family member or locate a misplaced handset
- **14-DAY BATTERY STANDBY** provides longer intervals between charging batteries
- **10 NUMBER SPEED DIAL** for the business and personal numbers you call frequently; provides simple two-step dialing
- **LOW BATTERY INDICATOR** alerts you when battery power is running low
- **OUT-OF-RANGE ALERT** indicates when the handset and base unit are too far apart for proper cordless transmission
- **LAST NUMBER REDIAL** lets you touch a button to call the last you dialed
- **BATTERY SAVE MODE** conserves battery power between calls, extends battery life
- **DIRECT WALL-MOUNTING** -- no bracket necessary

SPECIFICATIONS

FREQUENCY: 46MHz to 49MHz

DIALING SIGNAL: Pulse (10PPS) or Tone (DTMF) switchable

CONNECTION: Modular Jack

POWER REQUIREMENTS: Base Unit: DC 9V from AC power adaptor
Handset: BP-T16 rechargeable battery pack

BATTERY LIFE: Up to 14 days of standby time or 6 hours of talk time
(with battery pack fully charged)

DIMENSIONS (WHD): Base Unit: 3³/₄" x 2" x 9¹/₈"
Handset: 2³/₈" x 8" x 2³/₈"

WEIGHT: Base Unit: 10 oz
Handset: 9 oz (including battery)

SUPPLIED ACCESSORIES: Telephone Line Cords (2), AC T48 AC Power Adaptor, BP-T16 Battery Pack

©1996 Sony Electronics Inc.

Reproduction in whole or in part without written permission is prohibited. All rights reserved.
Features and specifications are subject to change without notice. Non-metric weights and measures are approximate.

Sony, Clear Scan 25, ProSound and the Sony Telecom logo are trademarks of Sony.

SONY®

Sony Electronics Inc.
1 Sony Drive
Park Ridge, New Jersey 07656
<http://www.sony.com>

Printed in USA 7/96

SONY

SPP-Q110


CORDLESS TELEPHONE

FEATURES AND
SPECIFICATIONS
SUBJECT TO CHANGE
WITHOUT NOTICE

- **CLEAR SCAN 25™ AUTOMATIC CHANNEL SELECTION**
- **COMPANDER PROSOUND™ NOISE REDUCTION SYSTEM**
- **BASE-TO-HANDSET PAGING**
- **21 DAY BATTERY STANDBY**
- **10 NUMBER SPEED DIALING**
- **LOW BATTERY INDICATOR**
- **ANY KEY ANSWER**
- **OUT-OF-RANGE ALERT**
- **LAST NUMBER REDIAL**
- **WALL-MOUNTABLE**

SUPPLIED ACCESSORIES: AC Adaptor, Line Cord, Battery BP-T16

Design, features and specifications subject to change without notice.



Sony Telecom™

Clear**Scan** **25**
Automatic Channel Selection



SPP-Q110

Cordless Features

- **25 CHANNEL TRANSMISSION WITH AUTO-SCAN**
automatically scans all 25 available channels when turned on and operates on the channels offering the clearest reception
- **COMPANDER PROSOUND™ NOISE REDUCTION SYSTEM** automatically filters out background noise to provide virtually static-free transmission
- **BASE-TO-HANDSET PAGING** feature sends a beep signal from the base to the handset, allowing you to summon a co-worker or family member or to locate a misplaced handset
- **21 DAY BATTERY STANDBY** time allows longer intervals between charging batteries
- **10 NUMBER SPEED DIALING** provides simple two-step dialing of the business and personal numbers you call frequently
- **LOW BATTERY INDICATOR** visually alerts you when battery power is running low
- **ANY KEY ANSWER** allows you to answer calls by pressing any key except "off" on the handset
- **OUT-OF-RANGE ALERT** indicates when the handset is out of the useable range of the base unit
- **LAST NUMBER REDIAL** redials the last number called at a single touch
- **WALL-MOUNTABLE** no bracket necessary - direct wall-mount

Specifications

DIALING SIGNAL: Pulse (10PPS) or Tone (DTMF) switchable

CONNECTION: Modular jack

POWER REQUIREMENTS: Base Unit: DC 9V from AC power adaptor
Handset: BP-T16 rechargeable battery pack

BATTERY LIFE: Up to 21 days of standby or 7 hours of talk time
(with battery pack fully charged)

DIMENSIONS (WHD): Base Unit: 5 13/16" x 2 1/4" x 8 7/8"
Handset: 2 1/4" x 7 7/8" x 2 1/4"

WEIGHT: Base Unit: 9.5 oz
Handset: 6.2 oz (including battery)

SUPPLIED ACCESSORIES: Telephone Line Cord, AC Power Adaptor,
BP-T16 Battery Pack

SONY

Sony Electronics Inc.
1 Sony Drive
Park Ridge, New Jersey 07656
<http://www.sony.com>

© 1996 Sony Electronics Inc. Reproduction in whole or in part without written permission is prohibited. All rights reserved. Features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Sony, Clear Scan 25, Sony Telecom logos and ProSound are trademarks of Sony.

Printed in USA 1/96

SONY

SPP-M100

2-LINE CORDLESS TELEPHONE

FEATURES AND
SPECIFICATIONS
SUBJECT TO CHANGE
WITHOUT NOTICE

- **CLEAR SCAN 25™ AUTOMATIC CHANNEL SELECTION**
- **COMPANDER PROSOUND™ NOISE REDUCTION SYSTEM**
- **2-LINE OPERATION**
- **DISTINCT RINGS FOR EACH LINE**
- **3-WAY CONFERENCE CAPABILITY**
- **10 NUMBER SPEED DIALING**
- **BASE-TO-HANDSET PAGING**
- **ONE-MONTH BATTERY STANDBY**
- **BATTERY STATUS INDICATOR**
- **QUICK TALK**
- **ANY KEY ANSWER**
- **OUT-OF-RANGE ALERT**
- **WALL-MOUNTABLE BASE**



Sony Telecom™

ClearScan 25
Automatic Channel Selection



SPP-M100

Cordless Features

- **25 CHANNEL TRANSMISSION WITH AUTO-SCAN** automatically scans all 25 available channels when turned on and operates on the channel offering the clearest reception
- **COMPANDER PROSOUND™ NOISE REDUCTION SYSTEM** automatically filters out background noise to provide superior sound quality
- **2-LINE OPERATION** accesses two separate phone lines from one phone (requires two-line installation from your local telephone company)
- **DISTINCT RINGS** let you easily identify which line is ringing
- **3-WAY CONFERENCE CAPABILITY** allows you to talk simultaneously on both lines with two separate outside parties
- **10 NUMBER SPEED DIALING** provides simple two-step dialing of the business and personal numbers you call frequently
- **BASE-TO-HANDSET PAGING** lets you send a paging signal from the base unit to the handset. Useful for paging a family member, or quickly locating the handset
- **ONE-MONTH BATTERY STANDBY** allows longer intervals between charging batteries
- **BATTERY STATUS INDICATOR** lets you know when the battery needs to be recharged
- **QUICK TALK** allows you to answer incoming calls by just removing the handset from the base, eliminating need to press a button
- **ANY KEY ANSWER** allows you to answer calls by pressing any key on the handset except "OFF"
- **OUT-OF-RANGE ALERT** indicates when the handset is out of the usable range of the base unit
- **WALL-MOUNTABLE** using the supplied wall-mount bracket, compatible with standard wall outlets

Specifications

DIALING SIGNAL: Pulse (10PPS) or Tone (DTMF) switchable

CONNECTION: Modular jack

POWER REQUIREMENT: Base Unit: AC 120V/DC 9V 300mA

Hand Set: BP-T40 rechargeable battery

BATTERY LIFE: Up to 30 days of standby time or 10 hours of talk time
(with battery pack fully charged)

DIMENSIONS (WHD): Base Unit: 5 3/4" x 1 3/4" x 9 1/4"

Hand Set: 2 3/8" x 8 1/8" x 2 3/4"

WEIGHT: Base Unit: 13.5 oz

Handset: 10.5 oz

SUPPLIED ACCESSORIES: Telephone Line Cord, AC-T37 AC Power Adaptor,
Wall-Mount Bracket, BP-T40 Rechargeable Battery Pack

SONY®

Sony Electronics Inc.
Sony Drive, Park Ridge, New Jersey 07656

© 1995 Sony Electronics Inc. Reproduction in whole or in part without written permission is prohibited. All rights reserved. Features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Sony, Clear Scan 25 and ProSound are trademarks of Sony.

Printed in USA 8/95

SONY

SPP-ID200

CALLER ID CORDLESS TELEPHONE

FEATURES AND
SPECIFICATIONS
SUBJECT TO CHANGE
WITHOUT NOTICE

- CALLER ID WITH CALL WAITING COMPATIBLE
- NAME DISPLAY COMPATIBLE
- MEMORY MATCH RINGING
- 20 CALLER ID MEMORY
- CLEAR SCAN 25™ AUTOMATIC CHANNEL SELECTION
- COMPANDER PROSOUND™ NOISE REDUCTION SYSTEM
- DUAL BATTERY SYSTEM
- BASE-TO-HANDSET PAGING
- 10 NUMBER SPEED DIAL
- 30 DAY BATTERY STANDBY
- BATTERY STATUS INDICATOR
- OUT-OF-RANGE ALERT
- LAST NUMBER REDIAL
- BATTERY SAVE MODE
- WALL-MOUNTABLE



Sony Telecom™

Clear**Scan** 25
Automatic Channel Selection



SPP-ID200

Features

- **CALLER ID** displays the number/name of your caller before you pick up, provided you have Caller ID service from the phone company
- **CALLER ID WITH CALL WAITING COMPATIBLE** displays the identity of the caller on call waiting, if you have Caller ID and Call Waiting services from the telephone company
- **NAME DISPLAY COMPATIBLE** displays caller's name if service is subscribed by phone company
- **MEMORY MATCH RINGING** sounds a distinctive ring when incoming call matches one of the preprogrammed numbers (up to 10 numbers)
- **20 CALLER ID MEMORY** remembers the last 20 incoming calls along with the caller's name, number, date and time of each call
- **25 CHANNEL TRANSMISSION WITH AUTO-SCAN** automatically scans all 25 available channels when turned on and operates on the channel offering the clearest reception
- **COMPANDER PROSOUND™ NOISE REDUCTION SYSTEM** automatically filters out background noise to provide virtually static-free transmission
- **DUAL BATTERY SYSTEM** lets you use one battery in your handset while you charge the second in the base unit, so a fresh battery pack is constantly available
- **BASE-TO-HANDSET PAGING** feature sends a beep from the base to the handset, allowing you to signal a co-worker or family member or locate a misplaced handset
- **10 NUMBER SPEED DIAL** provides simple two-step dialing of the business and personal numbers you call frequently
- **30 DAY BATTERY STANDBY** lets you know when the battery needs to be recharged
- **BATTERY STATUS INDICATOR** lets you know when the battery needs to be recharged
- **OUT-OF-RANGE ALERT** indicates when the handset is out of the useable range of the base unit
- **LAST NUMBER REDIAL** redials the last number called at a single touch
- **WALL-MOUNTABLE** using simple wall mounting bracket, compatible with standard wall outlets

Specifications

DIALING SIGNAL: Pulse (10PPS) or Tone (DTMF) switchable

CONNECTION: Modular jack

POWER REQUIREMENTS: Base Unit: AC 120V/DC 9V 300mA

Handset: BP-T40 rechargeable battery

DIMENSIONS (WHD): Base Unit: 4 1/2" x 2" x 8 11/16"

Handset: 2 3/8" x 8 1/8" x 2 3/4"

WEIGHT: Base Unit: 12.7 oz

Handset: 10.5 oz

BATTERY LIFE: Up to 30 days of standby or 10 hours of talk time
(with battery pack fully charged)

SUPPLIED ACCESSORIES: Telephone Line Cord, AC Power Adaptor,
Wall-Mount Bracket, BP-T40 Rechargeable Battery Pack (2)

SONY

Sony Electronics Inc.
1 Sony Drive
Park Ridge, New Jersey 07656
<http://www.sony.com>

© 1996 Sony Electronics Inc. Reproduction in whole or in part without written permission is prohibited. All rights reserved. Features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Sony, Sony Telecom, Clear Scan 25 logos and ProSound are trademarks of Sony.

Printed in USA 1/96

SONY

SPP-Q120


CORDLESS TELEPHONE

FEATURES AND
SPECIFICATIONS
SUBJECT TO CHANGE
WITHOUT NOTICE

- **CLEAR SCAN 25™ AUTOMATIC CHANNEL SELECTION**
- **COMPANDER PROSOUND™ NOISE REDUCTION**
- **ILLUMINATED KEYPAD**
- **BASE-TO-HANDSET PAGING**
- **21 DAY BATTERY STANDBY**
- **10 NUMBER SPEED DIAL**
- **LOW BATTERY INDICATOR**
- **ANY KEY ANSWER**
- **OUT-OF-RANGE ALERT**
- **LAST NUMBER REDIAL**
- **WALL-MOUNTABLE**


SUPPLIED ACCESSORIES: AC Adaptor, Line Cord, Battery BP-T16

Design, features and specifications subject to change without notice.



Sony Telecom™

ClearScan²⁵
Automatic Channel Selection



SPP-Q120

Features

- **25 CHANNEL TRANSMISSION WITH AUTO-SCAN**
automatically scans all 25 available channels when turned on and operates on the channel offering the clearest reception
- **COMPANDER PROSOUND™ NOISE REDUCTION SYSTEM** automatically filters out background noise to provide virtually static-free transmission
- **ILLUMINATED KEYPAD ON HANDSET** allows for easier dialing in the dark
- **BASE-TO-HANDSET PAGING** feature sends a beep from the base to the handset, allowing you to summon a co-worker or family member or to locate a misplaced handset
- **21 DAY BATTERY STANDBY** time allows longer intervals between charging batteries
- **10 NUMBER SPEED DIAL** provides simple two-step dialing of the business and personal numbers you call frequently
- **LOW BATTERY INDICATOR** visually alerts you when battery power is running low
- **ANY KEY ANSWER** allows you to answer calls by pressing any key except "off" on the handset
- **OUT-OF-RANGE ALERT** indicates when the handset is out of the useable range of the base unit
- **LAST NUMBER REDIAL** redials the last number called at a single touch
- **WALL-MOUNTABLE** no bracket necessary - direct wall-mount

Specifications

DIALING SIGNAL: Pulse (10PPS) or Tone (DTMF) switchable

CONNECTION: Modular jack

POWER REQUIREMENTS: Base Unit: DC 9V from AC power adaptor
Handset: BP-T16 rechargeable battery pack

BATTERY LIFE: Up to 21 days of standby or 7 hours of talk time
(with battery pack fully charged)

DIMENSIONS (WHD): Base Unit: 5 13/16" x 2 1/4" x 8 7/8"
Handset: 2 1/4" x 7 7/8" x 2 1/4"

WEIGHT: Base Unit: 9.5 oz
Handset: 6.2 oz (including battery)

SUPPLIED ACCESSORIES: Telephone Line Cord, AC Power Adaptor,
BP-T16 Battery Pack

SONY

Sony Electronics Inc.
1 Sony Drive
Park Ridge, New Jersey 07656
<http://www.sony.com>

© 1996 Sony Electronics Inc. Reproduction in whole or in part without written permission is prohibited. All rights reserved.
Features and specifications are subject to change without notice.
Non-metric weights and measurements are approximate.
Sony, Sony Telecom, Clear Scan 25 logos and ProSound are trademarks of Sony.