



Effective July 1, 1995
Confidential Dealer Price List VA-10



VIDEO ACCESSORIES
MARINE PRODUCTS

CONTENTS

CATEGORY	MODEL	DESCRIPTION	PAGE	SUGGESTED RETAIL
POWER	NP-68	Battery 1800mAh	4	\$40.00
	NP-80	Battery 2700mAh , 6V	4	\$80.00
	NP-98	Battery 3000mAh with no memory effect, 6V	4	\$80.00
	NP-98D	Battery 3000mAh with no memory effect	5	\$110.00
	NP-C65	Battery with built-in charger, 1500 mAh	5	\$110.00
	NP-520	Battery 1350mAh,7.2V Lithium Ion	5	\$80.00
	NP-22H	Battery 1800mAh , 6V	6	\$75.00
	EBP-N6	Dry Cell Battery Case	6	\$50.00
	EBP-L6	Dry Cell Battery Case	6	\$80.00
	NPA-55	Battery Adaptor	6	\$21.00
	AC-S10	Battery Charger with Discharger	7	\$180.00
	BC-S10	Portable Quick Charger w/Discharger	7	\$160.00
	DCP-77	Car Battery Adaptor	7	\$75.00
	DC-S10	Car Battery Charger/Adaptor w/Discharger	8	\$180.00
	AC-V515	Power Charger/Adaptor for NP-520/500H	8	\$180.00
	DC-V515	Car Battery Charger/Adaptor for NP-520/500H	8	\$180.00
	BC-V500	Portable Charger for NP-520/500H	9	\$160.00
	NPA-L1	Battery Adaptor for NP520/500H	9	\$40.00
	ACP-88	AC Adapter Pack	10	\$190.00
	BCA-70	Charger for NP-22H	10	\$70.00
	DCP-80	Car Battery Adaptor	10	\$70.00
CASE	LCS-TXH	Soft Case for TR and FX series	11	\$50.00
	LCS-HG1	Soft Case for TR and FX series	11	\$30.00
	LCS-SC5	Soft Case for CCD-SC5	12	\$25.00
	LCH-VX1	Hard Case for CCD-VX3	12	\$300.00
	LCH-V8902	Hard Case for V-series	12	\$250.00
LENS	VCL-TRA	Lens Kit of Wide Angle and Telephoto Lenses	13	\$120.00
	VCL-R0752	Wide Angle Lens (X0.7)	13	\$70.00
	VCL-R2052	Tele Photo Lens (X2.0)	13	\$80.00
	VCL-R0737	Wide Angle Lens (X0.7)	14	\$50.00
	VCL-R2037	Tele Photo Lens (X2.0)	14	\$70.00
	VCL-FS1K	10 X Telephoto Lens Zoom Eye	14	\$1,500.00
FILTER	VF-37M	Filter Kit for 37mm Diameter	15	\$50.00
	VF-R52K	Filter Kit for 52mm Diameter	15	\$30.00
CABLE	VK-800	Control L Cable	18	\$30.00
	VK-810	Control L Cable	18	\$30.00
	YC-15V	S Video Cable (4 1/2 ft.)	18	\$15.00
	YC-30V	S Video Cable (9 ft.)	18	\$17.00
	YC-15EV	S Video Cable (4 1/2 ft.)	18	\$40.00
	YC-30EV	S Video Cable (9 ft.)	18	\$50.00
	RFU-95UC	RFU Adaptor Cable	18	\$40.00
	VMC-820HG	Audio/Video Stereo Cable	18	\$9.99

CATEGORY	MODEL	DESCRIPTION	PAGE	SUGGESTED RETAIL
TRIPOD	VCT-R610	Regular Size Tripod	16	\$50.00
	VCT-R630RM	Regular Size Tripod with Remote in Grip	16	\$100.00
	VCT-950RM	Regular Size Tripod with Remote in Grip	16	\$500.00
VIDEO LIGHT	HVL-20DX	20W/10W DC Video Light	17	\$110.00
	HVL-R20	20W DC Video Light	17	\$50.00
	VCT-R10L	Accessory Shoe for TR/FX Series	17	\$20.00
	XB-20DX	Replacement Bulb for HVL-20DX	18	\$20.00
SPORTS	SPK-TRB	Sports Pack for TR series	19	\$210.00
	MPK-TRB	Marine Pack for TR/FX Series	19	\$1,800.00
	ACC-810M	Maintenance kit for MPK-TRA/TRA2	20	\$30.00
	VF-M150	Color Filter for MPK-TRA/TRA2	20	\$250.00
	LCH-M40	Hard Carrying Case for MPK-TRA/TRA2	20	\$450.00
	HVL-M20	Underwater video light for MPK-TRA/TRA2	21	\$320.00
	HVL-80DA	Underwater video light for MPK-F40	21	\$500.00
	VF-95	Filter for MPK-F40	21	\$100.00
OTHER	REW-88	8 mm Tape Rewinder	22	\$70.00
	GP-TRX	Pistol Grip with Built-in Tripod	22	\$150.00
	RMT-708	Replacement Handycam Remote	22	\$40.00
	CPJ-100	Portable LCD Projector	23	\$1099.00
	XB-CPJ100	Replacement Bulb for CPJ-100	23	\$60.00
	XB-CPJ7	Replacement Bulb for CPJ-7	23	\$25.00
	ACC-KIT65	Accessory starter kit(Soft Case, Tripod, Battery:NP-60D)	24	\$90.00
	TGV-5	Tuner Pack for Handycam Vision	24	\$199.00
	XV-M30	Color LCD Monitor	25	\$599.00
EDIT	XV-T33	Video Sketch Titler	25	\$500.00
	XV-D1000	Digital Special Effect Generator	26	\$2,999.00
	XV-AL100	All-In-One Editor	27	\$599.00
	RM-E1000T	Editing Controller (RC Time Code Compatible)	28	\$2,200.00
	RM-E80	Editing Console	29	\$220.00
	RM-E700	Editing Controller (RC Time Code Compatible)	29	\$1,200.00
	PHV-A7	Film-to-Video Converter	30	\$1,700.00
	HVT-80	Film-to-Video Adapter	31	\$160.00
	SB-V1	Switcher	31	\$70.00
	SB-V900	Matrix Switcher	32	\$999.00

POWER SUPPLIES

Rechargeable Battery

- 1800 mAh with No Memory Effect
- Up to 2 hours Operating Time

Weight: 9.9 oz.

Dimensions: 1 7/8"W x 1 1/8"H x 3 5/8"D

UPC Code: 027242478978

NP-68

Suggested Retail Price

\$40.00

POWER SUPPLIES

Rechargeable Battery

- Higher capacity (2700 mAh) 6V
- Longer life span: 300 additional cycles for up to 800 charge/discharge cycles
- Improved low-temperature performance

Weight: 11 oz.


Dimensions: 1 7/8"W x 1 1/2"H x 3 5/8"D

UPC Code: 027242459489

NP-80

Suggested Retail Price

\$80.00



POWER SUPPLIES

NEW
Rechargeable Battery

- 3000 mAh with No Memory Effect
- Up to 3 hours Operating Time
- Long Life Span for 800 charge/discharge cycles
- Improved low-temperature performance

Weight: 11 oz.


Dimensions: 1 7/8"W x 1 1/2"H x 3 5/8"D

UPC Code: 027242486799

NP-98

Suggested Retail Price

\$80.00



POWER SUPPLIES

NEW
Rechargeable Battery

- 3000 mAh with no Memory Effect
- 5 LED system indicates seven different ranges of remaining power
- Up to 3 hours of operating time
- Long life span for 800 charge/discharge cycles.
- Improved low-temperature performance

Weight: 11 oz.

Dimensions:


1 7/8"W x 1 11/16"H x 3 5/8"D

UPC Code: 027242486812

NP-98D

Suggested Retail Price

\$110.00



POWER SUPPLIES

Rechargeable Battery with Built-in Charger

- Excellent for traveling, no need to bring charger with you.
- 6V, 1500mAh capacity with no Memory Effect
- Operates Camcorder up to 1.4 hours (operating time will vary depending on model of camcorder, usage and temperature)
- 3 LED System
 - 2 LED for indicating four different ranges of remaining power
 - 1 LED for charging indicator
- Power Requirements: AC100V-240V, 50/60Hz
- Fully charges in 3 hours(85 mins. with AC-S10 optional charger)

Weight: 8.1 oz.


Dimensions: 1.69"W x 1.89"H x 3.54"H

UPC Code: 027242473188

NP-C65

Suggested Retail Price

\$110.00



POWER SUPPLIES

NEW
Lithium-ion rechargeable Battery

- Compact rechargeable Lithium ion battery pack
- Cannot be used with regular Handycam power system (NP-80 type) Strictly for CCD-TR200/TR300/TR500/SC5
- 7.25 1200 mAh

Weight: 3.6 oz.

Dimensions: 13/5"W x 4/5"H x 24/5"D

UPC Code: 027242479890

NP-520

Suggested Retail Price

\$80.00

POWER SUPPLIES

Rechargeable Battery

- Rechargeable NiCad battery with 38% greater capacity than NP-22
- 1800 mAh 6V: equipped with system breaker for protection


Weight: 10 oz

Dimensions: 2"W x 1"H x 4.6"D

UPC Code: 027242410817

NP-22H

Suggested Retail Price
\$75.00



POWER SUPPLIES

Dry Cell Battery Case

- NP-80 type 6AA alkaline battery case
- For impromptu shooting situation

UPC Code: 027242464391

EBP-N6

Suggested Retail Price
\$50.00

POWER SUPPLIES

Dry Cell Battery Case

- NP-80 type 6 AA alkaline battery case
- For CCD-TR200/TR300/TR500/TR500 only
- For impromptu shooting situation

UPC Code: 027242467019

EBP-L6

Suggested Retail Price
\$80.00

POWER SUPPLIES

Battery Adaptor

- Battery adaptor permits operation of NP-22 type camcorder with NP-55 (CCD-V8AFU/M8U/V1/V110/V220/V5)
- NP-55 battery can be charged in BCA-70/80 battery charger with BCP-80 DC pack or ACP-80/88 AC pack

UPC Code: 901780091690

NPA-55

Suggested Retail Price
\$21.00

POWER SUPPLIES

Battery Charger/Discharger

- Worldwide AC Battery Charger w/dischARGE function
- Can be used with a camcorder using NP-66H type battery
- Discharging time will vary according to batteries remaining power level

Weight: 2.25 lbs.


Dimensions: 7.09"W x 8.66"H x 2.91"D

UPC Code: 027242440340

AC-S10

Suggested Retail Price

\$180.00



POWER SUPPLIES

Portable Charger with Discharger

- Excellent for travellers especially users of EZ snap-on charger system who wish to leave their chargers permanently connected to their monitor at home
- Discharges battery before charging for the longest life and best performance eliminating the possibility of memory effect
- Discharging time will vary according to batteries remaining power level
- 100V - 240V AC input power source capability for worldwide use (240 AC wall outlet adaptor supplied)

Weight: 0.49 lbs.

Dimensions: 2.44"W x 8.19"H x 3.11"D

UPC Code: 027242443778

BC-S10

Suggested Retail Price

\$160.00



POWER SUPPLIES

Car Battery Adaptor

- Allows operation of Handycam or Video Walkman from car battery or NP-4000
- Operates on cars in which battery voltage is 12V or 24V

Weight: 0.88 lbs.


Dimensions: 3.9"W x 4.22"H x 5.79"D

UPC Code: 027242426030

DCP-77

Suggested Retail Price

\$75.00



POWER SUPPLIES

Car Battery Adaptor/Charger With Discharger

- Charger/adaptor for use from car battery or NP-4000
- Discharges battery before charging for the longest life and best performance eliminating the possibility of memory effect
- Discharging time will vary according to batteries remaining power level
- 1 2V/ 24V DC input auto-select capability
- Power plate with cord supplied for EZ snap-on users

Weight: 1.86 lbs.


Dimensions: 7.00"W x 2.00"H x 9.25"D

UPC Code: 027242479746

DC-S10

Suggested Retail Price

\$180.00



POWER SUPPLIES

NEW

Battery Charger for Lithium Ion Battery

- For use with CCD-TR200/TR300/TR500/SC5
- Power charger /adapter for NP 520/500H only
- Quick charging indicating the status with 3 LED's
- 100V-240V AC input power source capability for worldwide use (240V AC wall outlet adaptor supplied)

Weight: 1.35 lbs.

Dimensions: 10"W x 4.75"H x 2.6"D

UPC Code: 027242479746

AC-V515

Suggested Retail Price

\$180.00



POWER SUPPLIES

NEW

Car Battery Charger/Adaptor

- For use with CCD-TR200/TR300/TR500/SC5
- Battery charging for NP-520/500H
- Quick charging indicating the status with 3 LED's
- 12V/24V DC input auto-select capability

Weight: 1.2 lbs.

Dimensions:


2 7/10"W x 1 7/10"H x 4 1/5"D

UPC Code: 027242478824

DC-V515

Suggested Retail Price

\$180.00



POWER SUPPLIES

Portable Charger for NP-520/500H

- Excellent for travellers
- Charges 2 NP-500 in 4 hr.
- Quick charging indicating the status with 3 LED's
- 100V -240V input power source capability for worldwide use

Weight: 0.2 lb.

Dimensions: 4.5"W x 2.25"H x 2.7"D

UPC Code: 027242466203

BC-V500

Suggested Retail Price

\$160.00



NP500 Battery is not included

POWER SUPPLIES

NEW
Battery Adaptor

- Allows to put another NP-520/500H Battery at bottom of Handycam for longer recording

UPC Code: 027242477070

NPA-L1

Suggested Retail Price

\$40.00

POWER SUPPLIES

AC Adaptor Pack

- Worldwide AC power adaptor and battery charger for CCD-V220/M9/MB/V3/V5/V110/V8AFU and EV-C8/P10
- AC input: 100-240V 50/60Hz
- Can charge an NP-22H rechargeable battery with BCA-80/BCA-70 battery charger adaptor

Weight: 0.93 lbs.

UPC Code: 027242410091

ACP-88

Suggested Retail Price

\$190.00

POWER SUPPLIES

Charger

- Battery Charger for NP-22/NP22H rechargeable battery pack
- Can charge one NP22/NP22H with ACP-80/ACP88 or DCP-80

Weight: 0.98 lbs.

Dimensions: 4.75"W x 2.00"H x 8.75"D

UPC Code: 027242432130

BCA-70

Suggested Retail Price

\$70.00

POWER SUPPLIES

DC Pack

- Battery sized DC/DC converter for CCD-V220/M9/M8/V3/V5/V110 and EV-C8/P10 (NP-22 type)
- Makes it possible to operate camcorder from a car battery or NP-4000 with DCC-16AW (optional)
- Can charge battery pack with BCA-80/BCA-70 battery charger adaptor

Weight: 0.81 lbs.

UPC Code: 027242422223

DCP-80

Suggested Retail Price

\$70.00

CARRYING CASES

Soft Carrying Case

- Universal soft carrying case for both TR and FX Handycam series
- Detachable compartment for accessories storage
- Accessory compartment can be left in car trunk or hotel room so you can travel with the Handycam bag only

Weight: 1.5 lbs.

Dimensions: 12"W x 8 3/4"H x 5 1/2"D

UPC Code: 027242456457

LCS-TXH

Suggested Retail Price

\$50.00



CARRYING CASES

Soft Carrying Case

- Universal soft carrying case for both TR and FX Handycam series
- Hunter green Color
- Storage area for accessories

Weight: 2.86 lbs.


Dimensions: 5.75"W x 9.09"H x 11.5"D

UPC Code: 027242477315

LCS-HG1

Suggested Retail Price

\$30.00



CARRYING CASES

Sports Jacket

- Soft Case for CCD-SC5 (Handycam Snap!) with shoulder strap
- Pocket for Battery inside of Jacket

Weight: 0.20 lb.

Dimensions: 7"W x 7 7/16"H x 1 3/4"D

UPC Code: 027242469181

LCS-SC5

Suggested Retail Price

\$25.00



CARRYING CASES

Hard Carrying Case

- Hard carrying case for CCD-VX3
- Metallic finish look
- Tripod attachment straps to easily carry tripod with case
- Room for CCD-VX3, 2 batteries, charger, telephoto conversion lenses, video light, cables, and tape.

Weight: 9.8 lbs.

Dimensions:

18 3/8"W x 11 1/2"H x 7 7/8"D

UPC Code: 027242454736

LCH-VX1

Suggested Retail Price

\$300.00



CARRYING CASES

- Aluminum carrying case to protect a camcorder for CCD-F201/F301/F401/F501/V701/V801/F33/F77/V101

Weight: 9.92 lbs.

Dimensions: 17 1/3"W x 11 4/5"H x 7"D

UPC Code: 027242417595

LCH-V8902

Suggested Retail Price

\$250.00



LENSES

Lens Kit (37mm Diameter)

- Pair of Lenses
- Wide Conversion (0.6x magnification)
- Tele Conversion (1.4 magnification)
- Supplied storage case


Weight: .75 lbs.

Dimensions: 2.91"W x 8.19"H x 2.44"D

UPC Code: 027242438231

VCL-TRA

Suggested Retail Price
\$120.00



LENSES

Wide Angle Lens

- Wide conversion lens (0.7x magnification)
- For CCD-VX3 /TR101/TR91/TR700/FX430/ FX530 /FX630 /730V
- Can also be used with other Handycams with a 52mm diameter


Weight: 0.6 lbs.

Dimensions: 3.74" x 3.27" x 3.74"

UPC Code: 027242476271

VCL-R0752

Suggested Retail Price
\$70.00



LENSES

Telephoto Lens

- Teleconversion lens (2.0 x magnification)
- For CCD-VX3 /TR101/TR91/TR700 /FX430 FX530 /FX630 /FX730V
- Can also be used with other handycams with a 52mm diameter

Weight: .0.75 lbs.

Dimensions: 3.74" x 3.27" x 3.74"

UPC Code: 027242476288

VCL-R2052

Suggested Retail Price
\$80.00



LENSES

Wide Angle Lens


- Wide conversion lens (0.7x magnification)
- Can also be used with other Handycams with a 37mm diameter

Weight: 1.8 oz.

UPC: 027242473584

VCL-R0737

Suggested Retail Price

\$50.00

LENSES

Telephoto lens


- Teleconversion lens (2.0x magnification)
- Can also be used with other Handycams with a 37mm diameter

Weight: 4.2 oz.

UPC Code: 027242473591

VCL-R2037

Suggested Retail Price

\$70.00

LENSES

Telephoto Lens Kit "Zoom Eye"

- 10x telephoto lens (up to 120x magnification using 12x Handycam)
- Universal compatibility with all Handycams
- Connecting ring to avoid damage to the lens of Handycam
- The Electric Condenser Microphone with built-in parabolic sound collector for outdoor activities
- Aperture of objective lens: 60 mm
- Diameter of filter attachment: 67 mm
- Focusing area: infinity -5m
- Contents of Kit
 - 10x telephoto lens connection for Handycam
 - Connection ring (37mm,46mm,52mm)
 - Pedestal for lens
 - Accessory shoe adaptor
 - Carrying handle
 - Soft carrying case
 - Parabola Microphone


Weight: 2.25 lbs.

Dimensions: 2.8"W x 4.1"H x 13.2"D

UPC Code: 027242447844

VCL-FS1K

Suggested Retail Price

\$1500.00

FILTER KITS

- Neutral density and multi-coated filter kit
- Diameter: 37mm

Weight: 0.18 lbs.


Dimensions: 3.15"W x 2.05"H x 3.9"D

UPC Code: 027242422094

VF-37M

Suggested Retail Price

\$50.00



FILTER KITS

Filter Kit


- Neutral density (ND8) and multi-coated filter Kit
- Can also be used with other Handycams with a 52mm diameter

UPC Code: 02724273614

VF-R52K

Suggested Retail Price

\$30.00



TRIPODS

Regular Tripod

- Light weight and durable
- Designed for both Handycam and 35mm camera. Allows mounting of still camera as the camera mounting pin will be pulled in.
- Quick release, 2 way pan head

Weight: 3.64 lbs.

Dimensions: 4.25"W x 23.54"H x 4.92"D

Maximum Height: 61.4"


Minimum Height: 21"

UPC Code: 027242473553

VCT-R610

Suggested Retail Price

\$50.00



TRIPODS-NEW

Regular Tripod with remote

- Light weight and durable
- Full size tripod with remote control in grip
- Remote in grip allows to control zoom, record start/stop and lock/standby
- Designed for both Handycam and 35mm camera. Allows mounting of still camera as the camera mounting pin will be pulled in
- Quick release, 2 way pan head

Dimensions:

Maximum Height: 61.4"


Minimum Height: 21"

UPC Code: 027242479296

VCT-R630RM

Suggested Retail Price

\$100.00



TRIPODS

Regular Tripod with remote

- Full size tripod with remote control in grip
- Remote in grip allows to control zoom, record start/stop and lock/standby
- Tough and sturdy tripod for both consumer and prosumer

Weight: 7.3 lbs.

Dimensions:

Maximum Height: 55"


Minimum Height: 28"

UPC Code: 027242465985

VCT-950RM

Suggested Retail Price

\$500.00





LIGHTS


DC Video Light

- DC video light works with Sony Ni-cad Battery (optional)
- User selectable between 10W and 20W
- Synchronized on/off operation with cam-corder by using remote terminal on cam-corder
- Auto shut down circuit to protect battery from over discharging
- Lasts 80 min. (10 W) and 40 min. (20 W) on NP-80
- Carrying case supplied for storage

Weight: 0.69 lbs.
Dimensions: 1.21"W x 0.98"H x 0.98"D
UPC Code: 027242424166

HVL-20DX

Suggested Retail Price
\$110.00



LIGHT


DC Video Light

- 20W video light
- DC Video light works with Sony Ni-Cad Battery(optional)
- Last 35 mins. on NP-80

Weight: 3.5 oz.
Dimensions: 2"W x 4.6"H x 2.2"D
UPC Code: 027242473577

HVL-R20

Suggested Retail Price
\$50.00



LIGHTS


Shoe Bracket

- Compact accessory shoe bracket for video light or microphone

Weight: 0.4 lbs.
UPC Code: 027242479302

VCT-R10L

Suggested Retail Price
\$20.00



LIGHTS			Suggested Retail
XB-20DX	<ul style="list-style-type: none"> Replacement bulb for HVL-20DX 	UPC Code: 027242424548	\$20.00

CONNECTING CABLES			Suggested Retail
VK-800	EDITING CABLE <ul style="list-style-type: none"> Optional control L cable, 5 pin to 5 pin for CCD-V9/V220/V110/V1/V8AFU 	UPC Code: 027242424159	\$30.00
VK-810	EDITING CABLE <ul style="list-style-type: none"> Optional control L cable, Stereo mini-mini to 5 pin 	UPC Code: 027242414952	30.00
YC-15V	S VIDEO CABLE <ul style="list-style-type: none"> 1.5 meters, 4 1/2K. 	UPC Code: 027242420694	15.00
YC-30V	S VIDEO CABLE <ul style="list-style-type: none"> 3.0 meters, 9 ft. 	UPC Code: 027242420700	17.00
YC-15EV	S VIDEO CABLE <ul style="list-style-type: none"> 1.5 meters,4 1/2 ft. Made of LC-OFC 	UPC Code: 027242420717	40.00
YC-30EV	S VIDEO CABLE <ul style="list-style-type: none"> 3.0 meters, 9 ft. Made of LC-OFC 	UPC Code: 027242420724	50.00
RFU-95UC	RF ADAPTOR <ul style="list-style-type: none"> Allows connection of Handycam to TV without Audio/Video Input Jacks Connects directly to Antenna Input of TV 	UPC Code: 027242479128	40.00
VMC-820HG	AUDIO/VIDEO STEREO CABLE <ul style="list-style-type: none"> 6 feet, 6 inch. 	UPC Code: 027242451599	9.99

SPORTS

- Splash-proof Sports pack
- Electronically controlled functions for increased reliability
- Can control Power/Standby, Rec. Start/Stop, Zoom Tele/Wide
- Water-proof microphone
- Tripod mounting screw
- Leak Sensor
- Supplied Accessories: Neck Strap, Silicon Grease, Anti-condensation Liquid Solution, Pedestals for Installation (2)

Weight: 1 lb. 11 oz.
Dimensions: 10 3/8"W x 6 1/8"H x 6 1/8"D
UPC: 027242486065

SPK-TRB

Suggested Retail Price
\$210.00



SPORTS


Marine Pack

- Light weight and compact underwater housing
- Submersible to depths down to 246 ft. (75m)
- Can control Power/Standby, Rec. Start/Stop, Zoom Tele/Wide
- Built-in leak light to warn of water seepage
- Record light in the back for confirmation of recording status
- Supplied accessories: Silicon Grease, Pedestal for installation

Weight: 15.5 lbs.
Dimensions: 13 3/8"W x 8"H x 13"D
UPC Code: 027242488038

MPK-TRB

Suggested Retail Price
\$1800.00



SPORTS

- Maintainance Kit for MPK-TRA/TRA2

Weight: 0.01 lb.


Dimensions: 1"W x 1"H x 1"D

UPC: 027242456396

ACC-810M

Suggested Retail Price

\$30.00



SPORTS

- Orange Filter for MPK-TRA/TRA2
- Orange Filter converts the color of salt water from blue to natural

Weight: 0.35 lb.


Dimensions: 1"W x 7"H x 6 3/4"D

UPC: 027242456341

VF-M150

Suggested Retail Price

\$250.00



SPORTS

- Hard carrying case for MPK-TRA/TRA2

UPC: 027242456358

LCH-M40

Suggested Retail Price

\$450.00



SPORTS

Video Light

- Super light weight and compact underwater video light for MPK-TRS or MPK-TRA2
- 20W DC operated water-proof video light
- Can be powered by camcorder battery such as an NP-80; user does not have to carry additional charger or batteries for the video light
- Mountable on the accessory shoe on the housing
- Pressure tolerance to 246 ft. (75m)
- Optional Accessory: NP-80 battery

Weight: 3.3 lbs. (approx.)


Dimensions: 9"W X 7 4/5"H X 8 7/10"D

UPC Code: 027242438132

HVL-M20

Suggested Retail Price

\$320.00



SPORTS

Video Light

- 50W DC operated water-proof video light for MPK-F40
- Pressure tolerance to 246 ft. (75m)
- Includes NP-3000 rechargeable battery, ACP-88 power cable, and charger unit

Weight: 5 lbs. 8 oz. (approx.)


Dimensions: 9"W X 5.3"H X 5.5"D

UPC Code: 027242419858

HVL-80DA

Suggested Retail Price

\$500.00



SPORTS

FILTER

- Orange filter for MPK-F40
- Orange filter corrects the color in salt water from blue to natural

UPC Code: 027242418059

VF-95

Suggested Retail Price

\$100.00

REWINDER


NEW
8mm Tape Rewinder

- Anti Jamming System
- High Speed Rewind - 2 hours 8mm tape in 1.5 minutes
- Compact Size to take everywhere
- DC operation (2 AA batteries included)

UPC Code: 027242480742

REW-88

Suggested Retail Price
\$70.00



PISTOL GRIP WITH BUILT-IN HANDLE

- Grip unit for sturdier handheld control of the Sony Handycam TR Line
- Built in legs for easy conversion to a tripod
- Switches for rec start/stop, zoom (TELE/WIDE)

Weight: 0.61 lbs.
UPC Code: 027242441446

GP-TRX

Suggested Retail Price
\$150.00



REMOTE COMMANDER

- Replacement Remote commander Handycam Camcorder
- Can operate Rec start/stop, Play, Rew/FF, Stop, Pause, Slow, Zoom Tele/Wide

Weight: 0.27 lbs.
Dimensions: 7.4"W x 2.25"H x 1.25"D
UPC Code: 027242479111

RMT-708

Suggested Retail Price
\$40.00

PROJECTOR

LCD Video Projector

A High quality picture of up to 60" diagonally, its compact portable design makes it ideal for use throughout the home, for holiday gatherings or special events like the Super Bowl, or for business use for presentations.

- Liquid Crystal Projector Display with 184,000 pixels for high quality projected picture
- Long lasting halogen (55 watt) bulb provides a great picture for easy viewing and lasts up to 400 hours of continuous use
- Recommended image projection up to 60 inches
- Stereo sound capability with built in stereo speakers (500mW x 2)
- Audio outputs for optional stereo headphones or external active stereo speakers
- Video and Stereo Audio inputs for use with your camcorder, VCR or any other video signal source (Phono and S-Video)
- Tilt option for projecting at any angle from 0 to 90 degrees
- Power Requirements: 120V AC, 60Hz)

Supplied Accessories

Lens Cap, A/V Cable, Halogen Bulb

Optional Accessories

Wide conversion lens VCL-R0737

Weight: 3 lbs. 8 oz. approx.

Dimensions: 4 1/2" x 6 1/3" x 5 5/8"

UPC Code: 027242476882

CPJ-100

Suggested Retail Price

\$1099.00



BULB

- Halogen replacement bulb specifically for CPJ-100 LCD projector
- All-in-one type for easy installation (consisting of bulb, reflector and base)

UPC Code: 027242479050

XB-CPJ100

Suggested Retail Price

\$60.00

BULB

- Halogen replacement bulb specifically for CPJ-7 LCD projector
- All-in-one type for easy installation (consisting of bulb, reflector and base)

UPC Code: 027242464889

XB-CPJ7

Suggested Retail Price

\$25.00

ACCESSORY KIT

NEW

Soft Carrying Case

- Soft Carrying Case with simulated leather exterior, side compartment for accessory storage, padded lining to protect Handycam Camcorder, and adjustable shoulder strap

Rechargeable Battery

- NP-68 Rechargeable Battery provides up to 2 hours of continuous record time, and is Memory Free for up to 1800 mAh of power

Tripod

- Full Size Tripod extends to 47" of Full Size (table Top Tripod extends to 47" for use as a full size tripod or contracts to 12" for table top shooting)
- Tripod has a Quick Release, 3-way Pan Head
- Compact size makes it ideal for traveling or storage

UPC Code: 027242495500

ACC-KIT65

Suggested Retail Price

\$90.00



TUNER PACK FOR HANDYCAM VISION

- Compatible with CCD-TRV30/TRV40/TRV70/FX730V
- Easy to attach to Handycam Vision (between Handycam and Battery)
- Channel: VHF 2-13ch, UHF 14-69ch (Auto preset)
- Audio: Monaural
- A/V Output
- External Antenna input

Weight: 5.8 oz.


Dimensions: 2.3"W x 4.8"H x 1.6"D

UPC Code: 027242486119

TGV-5

Suggested Retail Price

\$199.00



COLOR LCD MONITOR

- 3 inch size color LCD monitor
- High picture quality TFT active matrix panel (89,505) pixels
- Powered by the same rechargeable battery as camcorders (Battery is optional)
- Four-way power capability
 1. Car battery (with optional DCP-77)
 2. Rechargeable battery (optional)
 3. AC wall outlet (with optional AC-D4L)
 4. AA dry cell battery (dry cell batteries are optional)
- Built-in speaker
- CCD-TR4/TR5/TR7/TR81, requires VCT-TR (Shoe Bracket) to mount on the camcorder.

Weight: 8 oz.

Dimensions: 4"W x 3 3/8"H x 1 1/2"D

UPC Code: 027242419575

XV-M30

Suggested Retail Price

\$599.00



VIDEOSKETCH TITLER

- Superimpose your original graphics or titles while editing
- 13 colors and rainbow color
- 3 type fonts with 2 sizes
- Varieties of professional-looking pre-made patterns for easy and quick superimposing
- You can even write or draw using the pad and supplied pen with on-screen menu
- Graphics can be wiped in and out in four ways
- S Video Capability

Weight: 3.97 lbs.


Dimensions: 13.98"W x 9.84"H x 2.98"D

UPC Code: 027242430044

XV-T33

Suggested Retail Price

\$500.00



EDITOR

- Digital Special Effect Generator to add a professional touch to your home video while editing
- Digital frame synchronizer allows you to combine two different video sources while editing (three video/audio inputs)
- High picture quality using double frame memory: Horizontal resolution is over 500 lines. Digital Y/C separation provides sharp resolution
- 77 kinds of wipe patterns are available in transition of different video source
- Digital effect can be added such as Digital Zoom, Mosaic, Multi picture, Strobe, Picture art, Still and Monotone
- 10 program memory for easy pre set editing
- VISCA and GPI interface to integrate with computer for more complicated automated programming
- Separate console table for easy edit control (two piece component)

Weight: 11 lbs. (approx.) for Main Unit, 2 lbs. 3 oz. (approx.) for control table

Dimensions:

17"W x 2 3/4"H x 14 3/8"D (Main Unit)
13 3/4" x 2 1/8" x 8 3/4" (Control Table)

UPC Code: 027242457676

XV-D1000

Suggested Retail Price
\$2999.00



PRO

HI-TECH

EDIT CONTROLLER

XV-AL100

All-in-one Video Editing System

Sony's XV-AL100 All-in-one edit system is designed to make editing easier and more enjoyable than ever! By combining the edit, titler, and audio mixer into one, it offers easy operating with advanced feature to appeal to the average camcorder owner looking to edit their home video libraries

Suggested Retail Price

\$599.00

Editing Controller

- 8MM RC Time Code compatible: When used with an RC time code camcorder or deck, the XV-AL100 allows precision control of the edit points
- Programable Automatic Edit Function lets you mark edit starts and stop points with precision store information for up to 20 scenes from anywhere on your tape in memory for quick recall during editing
- Full Assemble Edit capability allows you to select the beginning and the ending of your scenes and record them in your desired order
- Dual Mode Shutter allows for frame-by-frame playback of both player and and recorder from the pause mode
- Timing adjustment for more accurate editing
- Learning remote with 9 presets for use with diferent manufacturer's VCRs

Titler

- On Screen Menu allows for easy and quick title-making
- Includes nine preset Title (Happy New Year, Happy Birthday x 2, Merry Christmas, Happy Anniversary, Seasons Greetings, The End, Fin)
- Choice of three fonts, 2 types of character sizes and 8 colors

Audio mixer

- Select choice of original sound track, auxillary input, or microphone input for audio mixer
- Balance control to choose/mix between the original video tape and auxillary audio source or microphone input

Supplied Accessories

AV Cable , S-Video Cable, Control L Cable X 2, Control S Cable, AC Adaptor, Instruction manual

Line Input:

S-Video, AV, Aux audio, microphone

Line Output:

S-Video, AV Aux audio headphone jack

Control Signal:

Control L in and out, Control S out

Power Requirements:

AC Power Adaptor, 6V DC in

Weight: 2 lbs. 5 oz.

Dimensions: 13.2"W x 2.6"H x 8.5"D

UPC Code: 027242479135



EDITOR

Editing Controller With Titler

- 8mm RC time code compatible (accuracy is within +/-5 frames) (when using with EV-S7000, accuracy is within +/-3 frames)
- A/B roll for controlling 2 source players simultaneously for multiple player edit
- 3 A/V inputs, 1 A/V output for controlling up to 3 decks for multiple source editing
- On Screen Menu for easy editing
- Programmable Automatic Edit Function lets you mark edit start and stop points with precision. Store information for up to 20 scenes from anywhere on your tape in memory for camcorder quick recall during editing. If you use an RC time code camcorder/deck, you can program up to 99 scenes.
- External memory using a floppy disk drive to store program edit information
- Jog shuttle dial to control 2 player decks/camcorders
- Character generator for adding titles while editing, with up to 24 characters per line, (12 line total plus choice of 2 different fonts with 8 different color options)
- Video special effects including fade(B/W), monotone, and cinema
- Audio mixing and fade capabilities along with external microphone input
- Edit and VISCA interface for integration with computerized editing system and XV-D1000
- S video capability

Weight: 8.8 lbs. (Main Unit)
2.2 lbs. (Control Table)


Dimensions:
17"W x 2.8"H x 14.2"D (Main Unit)
13.4" x 2"H x 9"D (Control Table)

UPC Code: 027242467347

RM-E1000T

Suggested Retail Price

\$2200.00



PRO

HI-TECH

EDITOR

- Remote editing console for editing from 8mm to 8mm, Beta or infrared remote controlled VHS VCRs
- 1 event (1 cut-in and out) programmable editing controller
- Shuttle ring allows you to find positions you want with ease
- Play deck (including playback camcorder) must have "Control L" terminal
- Record deck can be VMS deck infrared remote, Sony Video8 or Betamax
- LCD (Liquid Crystal Display) shows tape counter and operation mode


Weight: 9 oz.

Dimensions:
6 1/4"W x 1 13/16"H x 4 1/8"D

UPC Code: 027242410824

RM-E80

Suggested Retail Price
\$220.00



EDITOR

- Remote editing controller for editing from 8mm to 8mm Beta or infrared remote controlled VHS VCRs
- Connects to master Video 8, Video Hi8, Sony VHS or Beta decks or camcorders with control L plug
- New built-in command memory allows any deck with a wireless remote to function as a slave deck even if it does not have Control L or Control S
- Allows programmed editing of up to 99 scenes at a time (or 20 scenes using regular control L)
- 2 independent Jog/Shuttle Dials and sets of function keys-one each for Player and Recorder
- Generate characters in both English and European languages for titling while editing. Generates up to 12 characters per line and up to four lines total
- Selectable 4-page and 2-page (precise mode) digital superimposer for hand-written title and graphics insert
- 15 wipe patterns
- Scroll and reverse functions for digital superimposer
- Preview feature allows you to watch a segment prior to editing
- When used with RC time code, accuracy is ± 5 frames
- S Video Capability


RM-E700

Suggested Retail Price
\$1200.00

Weight: 3 lbs., 5 oz.

Dimensions:
14"W x 3 1/4"H x 9 1/8"D

UPC Code: 0272424433465



FILM TO VIDEO CONVERTOR

Product Concept

The Sony PHV A7 converts film negatives or slides directly into NTSC video signal for input viewing or recording. With 6X zoom and 360-degree image rotation, you can crop or zoom in on your photos. Color correction lets you correct the color balance of faded or discolored film. And the microphone input lets you add voice-over narration to your video. It's never been so easy to produce professional-looking video photo albums, hobbies and scientific videos, even small business video presentations.

- Converts film negatives or slides directly to NTSC video signal for instant viewing or recording
- Accepts film strips and mounted film so you can easily handle both film negatives and slides
- Negative/positive conversion allows you to convert negatives directly to positive video without making film prints
- Built-in Camera Block with 1/2" precision CCD image sensor (410,000 pixels) for superb high-resolution picture quality
- Up to 400 line horizontal resolution captures fine photographic image detail
- 6X Zoom function lets you zoom in to crop or enlarge key details of your photographic images
- Large screen TV playback with camera zoom function provides collectible objects like stamps, coins, etc.
- Rotation dial lets you rotate your image 360 degrees
- Trimming Function lets you eliminate unnecessary margin areas of the picture
- Instant automatic focus for quick and easy focusing
- Full auto and manual controls: focus, white balance correction, color intensity, iris control
- Color correction joystick control lets you correct the color balance of aged, faded, or discolored film
- 5-Video output connector maintains maximum image quality with high-resolution VCRs
- Microphone input with level control lets you record voice-over narration to accompany your video photo albums or business presentations
- Mounting bracket for XV-M30 optional LCD color monitor
- S Video Capability

Supplied Accessories

Film Carrier for Strip Film (1), Film Carrier for Mounted Film (1), AV Connecting Cable (1) Dust Cover

Weight: 5 lbs. 1 oz.


Dimensions: 5"W x 10 1/8"H x 7 1/2"D

UPC Code: 027242437371

PHV-A7

Suggested Retail Price

\$1700.00



PRO

HI-TECH


FILM TO VIDEO ADAPTOR

- Allows you to shoot photo cinema or 35mm negative film with your camcorder (To change negative color to positive one, color processor like XV-C900 or XV-C700 is required)
- Camcorder lens diameter: 58.52, 46mm

UPC Code: 027242426528

HVT-80

Suggested Retail Price
\$160.00



SELECTORS

- Simple, low cost Audio/Video Selector (stereo audio)
- 2 inputs, 2 outputs
- Works with any format Video Recorder/Camcorder
- No power source required

UPC Code: 027242410565

SB-V1

Suggested Retail Price
\$70.00

SELECTORS

- Matrix switcher
- Video/Audio selector with 7 A/V inputs and 6 A/V outputs
- Processor terminal with delay function for all 6 inputs
- S-Video inputs and outputs for use with Hi-Fi Beta, Hi8 or S-Video equipment
- Front panel A/V input and output terminal plus S-Video terminal
- Audio mode change (Stereo, L/R, L+R), with volume muting
- Video and Audio muting
- Wireless remote control supplied
- Incorporates two Y/C separating circuits
- S-Video Capability

Dimensions: 17"W x 4 5/8"H x 14 5/8"D


Weight: 15 lbs., 14 oz.

UPC Code: 027744246009

SB-V900

Suggested Retail Price

\$999.00



PRO

HI-TECH

VIDEO ACCESSORY COMPATIBILITY CHART

CATEGORY	MODEL	DESCRIPTION	FX230 FX330	FX240 FX430 FX630 FX640	FX730V	TRV30 TRV40 TRV70	TR23/TR33 TR36/TR73 TR76/TR82 TR83/TR93	TR100 TR600	TR700	SC5	VX3
POWER	NP-68	Battery 1800mAh, with No Memory Effect, 6V	■	■	■	■	■	■	■		■
	NP-C65	Battery with built-in charger, 1500mAh with No Memory Effect, 6V	■	■	■	■	■	■			1
	NP-80	Battery 2700mAh, 6V	■	■	■	■	■	■	■		■
	NP-98	Battery 3000mAh, with No Memory Effect, 6V	■	■	■	■	■	■	■		■
	NP-98D	Battery 2700mAh, with No Memory Effect 6V 5 LED power indicator	■	■	■	■	■	■			■
	NP-22H	Battery 1800 mAh, 6V									
	AC-S10	Battery Charger/Adaptor with Discharger	■	■	■	■	■	■	■		■
	BC-S10	Portable Quick Charger w/Discharger	■	■	■	■	■	■	■		■
	DC-S10	Car Battery Charger/Adaptor w/Discharger	■	■	■	■	■	■	■		■
	DCP-77	Car Battery Adaptor	■	■	■	■	■	■	■		■
	NP-520	Lithium Ion Battery 1200mAh, 7.2V								■	
	NPA-L1	Battery Adapter for NP-520/500H								■	
	AC-V515	Power Charger/Adaptor for NP-520/500H								■	
	DC-V515	Car Battery Charger/Adaptor for NP-520/500H								■	
	BC-V500	Portable Chager/Adaptor for NP-500/500H								■	
	EBP-L6	Dry Cell Battery Case								■	
	EBP-N6	Dry Cell Battery Case	■	■	■	■	■	■	■		■
CASE	LCH-TX8	Hard Case for TR and FX series	■	■			■	■	■		
	LCS-TXH	Soft Case for TR and FX series	■	■	■	■	■	■	■		
	LCS-HG1	Soft Case for TR and FX series	■	■	■	■	■	■	■		
	LCH-VX1	Hard Case for CCD-VX3									■
	LCS-SC5	Soft Case for CCD-SC5								■	
FILTER	VF-37M	Filter kit for 37mm Diameter	■			■	■	■			
	VF-R52K	Filter kit for 52mm Diameter		■	■				■		■
LENS	VCL-TRA	Lens Kit of Wide Angle and Tele-photo Lenses	■			■	■	■			
	VCL-R2037	Tele Photo Lens (X2.0)	■			■	■	■			
	VCL-R0737	Wide Angle Lens (X0.7)	■			■	■	■			
	VCL-R0752	Wide Angle Lens (X0.7)		■	■				■		■
	VCL-R2052	Tele-Photo Lens (X0.7)		■	■				■		■
TRIPOD	VCT-R610	Regular Size Tripod	■	■	■	■	■	■	■	■	
	VCT-R630RM	Regular Size Tripod with Remote Commander	■	■	■	■	■	■	■	■	
	VCT-950RM	Regular Size Tripod with Remote Commander	■	■	■	■	■	■	■	■	■
VIDEO LIGHT	HVL-R20	20W DC Video Light	■	2	2	2	2	2			■
	HVL-20DX	20W/10W DC Video Light		2	2	2	2	2			■
	XB-20DX	Replacement Bulb for HVL-20DX	Compatible with HVL-20DX								
	XB-20W	Replacement Bulb for HVL-R20	Compatible with HVL-R20								
	VCT-R10L	Accessory Shoe Adapter		■	■	■	■	■			
SPORTS	SPK-TRB	Sports Pack for TR Series				■	■	■			
	MPK-TRB	Marine Pack for TR/FX Series	■	■		■	■	■	■		
	LCH-M40	Hard Carrying Case for MPK-TRB	Compatible with MPK-TRB								
	HVL-M20	20W Video Light for MPK-TRB	Compatible with MPK-TRB								
	HVL-80DA	50W Video Light for MPK-TRB	Compatible with MPK-TRB								

CATEGORY	MODEL	DESCRIPTION	FX230 FX330	FX240 FX430 FX630 FX640	FX730V	TRV30 TRV40 TRV70	TR23/TR33 TR36/TR73 TR76/TR82 TR83/TR93	TR100 TR600	TR700	SC5	VX3
CABLE	VK-800	Control L Cable (5 pin to 5 pin)									
	VK-810	Control L Cable (5 pin to mini)	■	■	■	■	■	■	■	■	■
	VK-820	Control L Cable (mini to mini)	■	■	■	■	■	■	■	■	■
	YC-15V	S Video Cable (4 1/2 ft.)				4		■	■		■
	YC-30V	S Video Cable (6 ft.)				4		■	■		■
	YC-15EV	S Video Cable (4 1/2 ft.)				4		■	■		■
	YC-30EV	S Video Cable (6 ft.)				4		■	■		■
	RFU-95UC	RFU Adapter Cable	■	■	■	■	■	■	■		■
	VMC-820HG	Audio/Video Stereo Cables (6 1/2 ft.)	■	■	■	■	■	■	■		■
OTHERS	REW-88	High Speed Rewinder	■	■	■	■	■	■	■	■	■
	GP-TRX	Pistol Grip with Built-in Tripod	■	■	■	■	■	■	■		
	RMT-708	Replacement Handycam Remote	■	■	■	■	■	■	■		
	XV-M30	Color LCD Monitor	■	2	2	2	2	2			■
	CPJ-100	Portable LCD Projector									
	XB-CPJ100	Replacement Bulb for CPJ-100									
EDIT	XV-T33	Video Sketch Titler									
	XV-AL100	All-in-One Editor (RC Time Code Compatible)	3	3	3	3	3	3	■	3	■
	XV-D1000	Digital Special Effect Generator	■	■	■	■	■	■	■	■	■
	RM-E1000T	Editing Controller (RC Time Code Compatible)	3	3	3	3	3	3	■	3	■
	RM-E80	Editing Console (RC Time Code Compatible)	■	■	■	■	■	■	■	■	■
	RM-E700	Editing Controller (RC Time Code Compatible)	3	3	3	3	3	3	■	3	■
	PHV-A7	Film to Video Converter									
	SB-V900	Matrix Switcher									

- Compatible
- 1

Not recommended
- 2

Requires VCT-R10L (Shoe adaptor) to mount on Camcorder
- 3

RC Time Code accuracy is not available (only regular accuracy is available)
- 4

Compatible with TRV70

SONY CONSUMER SALES COMPANY

A Division of Sony Electronics Inc.
1 Sony Drive, Park Ridge, New Jersey 07656 (201) 930-1000



Executive Headquarters:	9 West 57th Street, New York, NY 10019	(212) 371-5800
Operations Headquarters	1 Sony Drive, Park Ridge, NJ 07656	(201) 930-1000
Eastern Region:	680 Kinderkamack Road, Oradell, NJ 07649	(201) 986-3000
Washington, D.C. Region:	9901 Business Parkway, Lanham, MD 20706	(301) 577-5790
Southeastern Region:	14701 Northwest 77th Avenue, Miami Lakes, FL 33014	(305) 556-0020
Midwestern Region:	1200 N. Arlington Heights Road, Itasca, IL 60143	(708) 773-6000
Southwestern Region:	3201 Premier Drive, Suite 100, Irving, TX 75063-2658	(214) 550-5200
Western Region:	10833 Valley View Street, Cypress, CA 90630-0016	(714) 220-9100
Northwestern Region:	333 Twin Dolphin Dr., Ste. 700, Redwood City, CA 94065	(415) 592-9090
New England Region	85 Wells Avenue, Newton Center, MA 02159	(617) 527-4560
North Central Region:	26200 Town Center Dr., Suite 300, Novi, MI 48050	(313) 347-4500
Hawaii:	960 Mapunapuna Street, Honolulu, HI 96819	(808) 834-6611



The resale prices quoted herein are suggested only and you are free to determine your own resale prices.

Freight: Prepaid from warehouse, carrier selection at Seller's option
Returns: No returns without prior authorization from Sony Consumer Sales Company

ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
ALL ORDERS SUBJECT TO OUR FINAL ACCEPTANCE
PRICE AND TERMS SUBJECT TO CHANGE WITHOUT NOTICE



Hi-Tech Products can be sold through Hi-Tech dealer agreement.
Pro products can be sold through Pro dealer agreement.

© 1995 Sony Electronics Inc.
Sony, Video Hi8, Video 8, Flying Frase, Edit Search, and Remote Commander are trademarks of Sony

 Printed on recycled paper