

PCG-GRX520

VAIO® Notebook Computer

- **Screen:** 15.0" XGA TFT
- **Battery:** High capacity lithium-ion battery, dual battery capability
- **Mobility:** 8.2 lbs. (with battery)
8.6 lbs. (with battery and optical disc drive)
- **AC adapter and power cord**
- **i.LINK®** (IEEE 1394) S400 interface*

Microsoft® Windows® XP Home Edition
Mobile Intel® Pentium® 4 processor 1.60 GHz-M**
Supports Enhanced Intel® SpeedStep™ technology***
256 MB DDR SDRAM (expandable to 512 MB max.)
30 GB† hard disk drive
CD-RW/DVD Combo Drive (16X max. CD-R write, 10X max. CD-RW write)
V.90 compatible modem
10BASE-T/100BASE-TX Ethernet
ATI MOBILITY™ RADEON™ 7500 with 32 MB of video DDR SDRAM
MagicGate™ Memory Stick® media slot
Two Type I or II PC Cards, or one Type III PC Card, with CardBus support
Center Jog Dial™ control with back button
Microsoft® sound system compatible

See Specifications for additional details.

Limited Warranty and Express Service: 90 days, extendible to one year upon registration (restrictions apply). Technical Support: Available free of charge for 90 days after the original date of purchase (restrictions apply).

- * i.LINK is a trademark of Sony used only to designate that the unit contains an IEEE 1394 port. All products with an i.LINK port may not communicate with each other. Supports high-speed digital video, audio, and data transfer capabilities among equipped Sony products.
- ** GHz denotes microprocessor internal clock speed; other factors may affect application performance.
- *** CPU speeds may be reduced to a lower operating speed under certain conditions.
- † GB means one billion bytes when referring to hard drive capacity. Accessible capacity may vary.

PCG-GRX520K

VAIO® Notebook Computer

- **Screen:** 15.0" XGA TFT
- **Battery:** High capacity lithium-ion battery, dual battery capability
- **Mobility:** 8.2 lbs. (with battery)
8.6 lbs. (with battery and optical disc drive)
- **AC adapter and power cord**
- **i.LINK®** (IEEE 1394) S400 interface*

Microsoft® Windows® 2000 Professional
Mobile Intel® Pentium® 4 processor 1.60 GHz-M**
Supports Enhanced Intel® SpeedStep™ technology***
256 MB DDR SDRAM (expandable to 512 MB max.)
30 GB† hard disk drive
CD-RW/DVD Combo Drive (16X max. CD-R write, 10X max. CD-RW write)
V.90 compatible modem
10BASE-T/100BASE-TX Ethernet
ATI MOBILITY™ RADEON™ 7500 with 32 MB of video DDR SDRAM
MagicGate™ Memory Stick® media slot
Two Type I or II PC Cards, or one Type III PC Card, with CardBus support
Center Jog Dial™ control with back button
Microsoft® sound system compatible

See Specifications for additional details.

Limited Warranty and Express Service: 90 days, extendible to one year upon registration (restrictions apply). Technical Support: Available free of charge for 90 days after the original date of purchase (restrictions apply).

- * i.LINK is a trademark of Sony used only to designate that the unit contains an IEEE 1394 port. All products with an i.LINK port may not communicate with each other. Supports high-speed digital video, audio, and data transfer capabilities among equipped Sony products.
- ** GHz denotes microprocessor internal clock speed; other factors may affect application performance.
- *** CPU speeds may be reduced to a lower operating speed under certain conditions.
- † GB means one billion bytes when referring to hard drive capacity. Accessible capacity may vary.

PCG-GRX520P

VAIO® Notebook Computer

- **Screen:** 15.0" XGA TFT
- **Battery:** High capacity lithium-ion battery, dual battery capability
- **Mobility:** 8.2 lbs. (with battery)
8.6 lbs. (with battery and optical disc drive)
- **AC adapter and power cord**
- **i.LINK®** (IEEE 1394) S400 Interface*

Microsoft® Windows® XP Professional
Mobile Intel® Pentium® 4 processor 1.60 GHz-M**
Supports Enhanced Intel® SpeedStep™ technology***
256 MB DDR SDRAM (expandable to 512 MB max.)
30 GB† hard disk drive
CD-RW/DVD Combo Drive (16X max. CD-R write, 10X max. CD-RW write)
V.90 compatible modem
10BASE-T/100BASE-TX Ethernet
ATI MOBILITY™ RADEON™ 7500 with 32 MB of video DDR SDRAM
MagicGate™ Memory Stick® media slot
Two Type I or II PC Cards, or one Type III PC Card, with CardBus support
Center Jog Dial™ control with back button
Microsoft® sound system compatible

See Specifications for additional details.

Limited Warranty and Express Service: 90 days, extendible to one year upon registration (restrictions apply). Technical Support: Available free of charge for 90 days after the original date of purchase (restrictions apply).

- * i.LINK is a trademark of Sony used only to designate that the unit contains an IEEE 1394 port. All products with an i.LINK port may not communicate with each other. Supports high-speed digital video, audio, and data transfer capabilities among equipped Sony products.
- ** GHz denotes microprocessor internal clock speed; other factors may affect application performance.
- *** CPU speeds may be reduced to a lower operating speed under certain conditions.
- † GB means one billion bytes when referring to hard drive capacity. Accessible capacity may vary.

4-665-400-01

PCG-GRX560

VAIO® Notebook Computer

- **Screen:** 16.1" UXGA TFT
- **Battery:** High capacity lithium-ion battery, dual battery capability
- **Mobility:** 8.0 lbs. (with battery)
8.4 lbs. (with battery and optical disc drive)
- **AC adapter and power cord**
- **i.LINK®** (IEEE 1394) S400 interface*

Microsoft® Windows® XP Home Edition
Mobile Intel® Pentium® 4 processor 1.60 GHz-M**
Supports Enhanced Intel® SpeedStep™ technology***
256 MB DDR SDRAM (expandable to 512 MB max.)
30 GB† hard disk drive
CD-RW/DVD Combo Drive (16X max. CD-R write, 10X max. CD-RW write)
V.90 compatible modem
10BASE-T/100BASE-TX Ethernet
ATI MOBILITY™ RADEON™ 7500 with 32 MB of video DDR SDRAM
MagicGate™ Memory Stick® media slot
Two Type I or II PC Cards, or one Type III PC Card, with CardBus support
Center Jog Dial™ control with back button
Microsoft® sound system compatible

See Specifications for additional details.

Limited Warranty and Express Service: 90 days, extendible to one year upon registration (restrictions apply). Technical Support: Available free of charge for 90 days after the original date of purchase (restrictions apply).

- * i.LINK is a trademark of Sony used only to designate that the unit contains an IEEE 1394 port. All products with an i.LINK port may not communicate with each other. Supports high-speed digital video, audio, and data transfer capabilities among equipped Sony products.
- ** GHz denotes microprocessor internal clock speed; other factors may affect application performance.
- *** CPU speeds may be reduced to a lower operating speed under certain conditions.
- † GB means one billion bytes when referring to hard drive capacity. Accessible capacity may vary.

PCG-GRX560K

VAIO® Notebook Computer

- **Screen:** 16.1" UXGA TFT
- **Battery:** High capacity lithium-ion battery, dual battery capability
- **Mobility:** 8.0 lbs. (with battery)
8.4 lbs. (with battery and optical disc drive)
- **AC adapter and power cord**
- **i.LINK®** (IEEE 1394) S400 interface*

Microsoft® Windows® 2000 Professional
Mobile Intel® Pentium® 4 processor 1.60 GHz-M**
Supports Enhanced Intel® SpeedStep™ technology***
256 MB DDR SDRAM (expandable to 512 MB max.)
30 GB† hard disk drive
CD-RW/DVD Combo Drive (16X max. CD-R write, 10X max. CD-RW write)
V.90 compatible modem
10BASE-T/100BASE-TX Ethernet
ATI MOBILITY™ RADEON™ 7500 with 32 MB of video DDR SDRAM
MagicGate™ Memory Stick® media slot
Two Type I or II PC Cards, or one Type III PC Card, with CardBus support
Center Jog Dial™ control with back button
Microsoft® sound system compatible

See Specifications for additional details.

Limited Warranty and Express Service: 90 days, extendible to one year upon registration (restrictions apply). Technical Support: Available free of charge for 90 days after the original date of purchase (restrictions apply).

- * i.LINK is a trademark of Sony used only to designate that the unit contains an IEEE 1394 port. All products with an i.LINK port may not communicate with each other. Supports high-speed digital video, audio, and data transfer capabilities among equipped Sony products.
- ** GHz denotes microprocessor internal clock speed; other factors may affect application performance.
- *** CPU speeds may be reduced to a lower operating speed under certain conditions.
- † GB means one billion bytes when referring to hard drive capacity. Accessible capacity may vary.

4-664-809-01

PCG-GRX560P

VAIO® Notebook Computer

- **Screen:** 16.1" UXGA TFT
- **Battery:** High capacity lithium-ion battery, dual battery capability
- **Mobility:** 8.0 lbs. (with battery)
8.4 lbs. (with battery and optical disc drive)
- **AC adapter and power cord**
- **i.LINK®** (IEEE 1394) S400 interface*

Microsoft® Windows® XP Professional
Mobile Intel® Pentium® 4 processor 1.60 GHz-M**
Supports Enhanced Intel® SpeedStep™ technology***
256 MB DDR SDRAM (expandable to 512 MB max.)
30 GB† hard disk drive
CD-RW/DVD Combo Drive (16X max. CD-R write, 10X max. CD-RW write)
V.90 compatible modem
10BASE-T/100BASE-TX Ethernet
ATI MOBILITY™ RADEON™ 7500 with 32 MB of video DDR SDRAM
MagicGate™ Memory Stick® media slot
Two Type I or II PC Cards, or one Type III PC Card, with CardBus support
Center Jog Dial™ control with back button
Microsoft® sound system compatible

See Specifications for additional details.

Limited Warranty and Express Service: 90 days, extendible to one year upon registration (restrictions apply). Technical Support: Available free of charge for 90 days after the original date of purchase (restrictions apply).

- * i.LINK is a trademark of Sony used only to designate that the unit contains an IEEE 1394 port. All products with an i.LINK port may not communicate with each other. Supports high-speed digital video, audio, and data transfer capabilities among equipped Sony products.
- ** GHz denotes microprocessor internal clock speed; other factors may affect application performance.
- *** CPU speeds may be reduced to a lower operating speed under certain conditions.
- † GB means one billion bytes when referring to hard drive capacity. Accessible capacity may vary.

4-664-808-01

PCG-GRX580

VAIO® Notebook Computer

- **Screen:** 16.1" UXGA TFT
- **Battery:** High capacity lithium-ion battery, dual battery capability
- **Mobility:** 8.0 lbs. (with battery)
8.4 lbs. (with battery and optical disc drive)
- **AC adapter and power cord**
- **i.LINK®** (IEEE 1394) S400 interface*

Microsoft® Windows® XP Home Edition
Mobile Intel® Pentium® 4 processor 1.70 GHz-M**
Supports Enhanced Intel® SpeedStep™ technology***
512 MB DDR SDRAM (512 MB max.)
40 GB† hard disk drive
CD-RW/DVD Combo Drive (16X max. CD-R write, 10X max. CD-RW write)
V.90 compatible modem
10BASE-T/100BASE-TX Ethernet
ATI MOBILITY™ RADEON™ 7500 with 32 MB of video DDR SDRAM
MagicGate™ Memory Stick® media slot
Two Type I or II PC Cards, or one Type III PC Card, with CardBus support
Center Jog Dial™ control with back button
Microsoft® sound system compatible

See Specifications for additional details.

Limited Warranty and Express Service: 90 days, extendible to one year upon registration (restrictions apply). Technical Support: Available free of charge for 90 days after the original date of purchase (restrictions apply).

- * i.LINK is a trademark of Sony used only to designate that the unit contains an IEEE 1394 port. All products with an i.LINK port may not communicate with each other. Supports high-speed digital video, audio, and data transfer capabilities among equipped Sony products.
- ** GHz denotes microprocessor internal clock speed; other factors may affect application performance.
- *** CPU speeds may be reduced to a lower operating speed under certain conditions.
- † GB means one billion bytes when referring to hard drive capacity. Accessible capacity may vary.

4-665-754-01

PCG-GRX580K

VAIO® Notebook Computer

- **Screen:** 16.1" UXGA TFT
- **Battery:** High capacity lithium-ion battery, dual battery capability
- **Mobility:** 8.0 lbs. (with battery)
8.4 lbs. (with battery and optical disc drive)
- **AC adapter and power cord**
- **i.LINK®** (IEEE 1394) S400 interface*

Microsoft® Windows® 2000 Professional
Mobile Intel® Pentium® 4 processor 1.70 GHz-M**
Supports Enhanced Intel® SpeedStep™ technology***
512 MB DDR SDRAM (512 MB max.)
40 GB† hard disk drive
CD-RW/DVD Combo Drive (16X max. CD-R write, 10X max. CD-RW write)
V.90 compatible modem
10BASE-T/100BASE-TX Ethernet
ATI MOBILITY™ RADEON™ 7500 with 32 MB of video DDR SDRAM
MagicGate™ Memory Stick® media slot
Two Type I or II PC Cards, or one Type III PC Card, with CardBus support
Center Jog Dial™ control with back button
Microsoft® sound system compatible

See Specifications for additional details.

Limited Warranty and Express Service: 90 days, extendible to one year upon registration (restrictions apply). Technical Support: Available free of charge for 90 days after the original date of purchase (restrictions apply).

- * i.LINK is a trademark of Sony used only to designate that the unit contains an IEEE 1394 port. All products with an i.LINK port may not communicate with each other. Supports high-speed digital video, audio, and data transfer capabilities among equipped Sony products.
- ** GHz denotes microprocessor internal clock speed; other factors may affect application performance.
- *** CPU speeds may be reduced to a lower operating speed under certain conditions.
- † GB means one billion bytes when referring to hard drive capacity. Accessible capacity may vary.

PCG-GRX580P

VAIO® Notebook Computer

- **Screen:** 16.1" UXGA TFT
- **Battery:** High capacity lithium-ion battery, dual battery capability
- **Mobility:** 8.0 lbs. (with battery)
8.4 lbs. (with battery and optical disc drive)
- **AC adapter and power cord**
- **i.LINK®** (IEEE 1394) S400 interface*

Microsoft® Windows® XP Professional
Mobile Intel® Pentium® 4 processor 1.70 GHz-M**
Supports Enhanced Intel® SpeedStep™ technology***
512 MB DDR SDRAM (512 MB max.)
40 GB† hard disk drive
CD-RW/DVD Combo Drive (16X max. CD-R write, 10X max. CD-RW write)
V.90 compatible modem
10BASE-T/100BASE-TX Ethernet
ATI MOBILITY™ RADEON™ 7500 with 32 MB of video DDR SDRAM
MagicGate™ Memory Stick® media slot
Two Type I or II PC Cards, or one Type III PC Card, with CardBus support
Center Jog Dial™ control with back button
Microsoft® sound system compatible

See Specifications for additional details.

Limited Warranty and Express Service: 90 days, extendible to one year upon registration (restrictions apply). Technical Support: Available free of charge for 90 days after the original date of purchase (restrictions apply).

- * i.LINK is a trademark of Sony used only to designate that the unit contains an IEEE 1394 port. All products with an i.LINK port may not communicate with each other. Supports high-speed digital video, audio, and data transfer capabilities among equipped Sony products.
- ** GHz denotes microprocessor internal clock speed; other factors may affect application performance.
- *** CPU speeds may be reduced to a lower operating speed under certain conditions.
- † GB means one billion bytes when referring to hard drive capacity. Accessible capacity may vary.

4-665-752-01