

## **PCV-RX550 / PCV-RX560**

## **PCV-RX570 / PCV-RX580**

### **VAIO Digital Studio™ Computer**

#### **Packing List**

---

Stereo Speakers w/ AC Adapter (PCVA-SP2)

VAIO Smart™ Keyboard

PS/2® Wheel Mouse

Modem Cable

Power Cord

#### **Documentation**

- VAIO Digital Studio™ Computer QuickStart
- Microsoft® Windows® XP Home Edition guide
- Frequently Asked Questions  
about DVD Recording (PCV-RX580 only)
- Safety Information
- Specification sheet
- Limited Warranty Card

#### **Packet containing special product offers**

#### **Recovery CD(s)**

- System Recovery CD(s)
- Application Recovery CD(s)
- Driver Recovery CD

#### **Software CD**

- Corel WordPerfect® CD

4-658-829-11

# PCV-RX550

## VAIO Digital Studio™ Computer

- **Bundled Accessories:**
  - VAIO Smart™ Keyboard
  - PS/2® Wheel Mouse
  - Stereo Speakers
  - Power Cord
  - Modem Cable
- **i.LINK® (IEEE1394) S400 interface\*** (supports high-speed digital video, audio, and data transfer capabilities between Sony i.LINK products.)
- **Universal Serial Bus (USB) Ports**

1.5 GHz\*\* Intel® Pentium® 4 Processor  
256 MB PC-133 SDRAM (expandable to 512 MB max.)  
60 GB† ATA-100 Hard Disk Drive  
DVD-ROM Drive (16X max. DVD-ROM read, 6X max. DVD-R read,  
6X max. DVD-RW read, 32X max. CD-RW read,  
40X max. CD-ROM/CD-R read)  
CD-RW Drive (40X max. CD-ROM/CD-R read, 33.2X max. CD-RW read,  
16X max. CD-R write, 10X max. CD-RW write)  
nVIDIA® TNT2™ M64 (32MB) Graphics Acceleration  
Front and Rear i.LINK and USB Connectivity  
Analog Devices SoundMAX Integrated Digital Audio  
V.90 compatible Data/Fax Modem‡  
10Base-T/100Base-TX Fast Ethernet LAN Jack (RJ-45)

Limited Warranty and Express Service: 90 days, extendible to one year upon registration (restrictions apply).  
Technical Support: Available free of charge for 90 days after the original date of purchase (restrictions apply).

- \* i.LINK is a trademark of Sony used only to designate that the unit contains an IEEE1394 port. All products with an i.LINK port may not communicate with each other.
- \*\* GHz denotes microprocessor internal clock speed; other factors may affect application performance.
- † GB means one billion bytes when referring to hard drive capacity. Accessible capacity may vary.
- ‡ Due to FCC limitations, 53 Kbps is the maximum transmit power level permitted during download transmissions. Actual data speeds vary depending on the line conditions.

4-658-587-11

# PCV-RX560

## VAIO Digital Studio™ Computer

- **Bundled Accessories:**

VAIO Smart™ Keyboard  
PS/2® Wheel Mouse  
Stereo Speakers  
Power Cord  
Modem Cable

- **i.LINK® (IEEE1394) S400 interface\*** (supports high-speed digital video, audio, and data transfer capabilities between Sony i.LINK products.)
- **Universal Serial Bus (USB) Ports**

1.7 GHz\*\* Intel® Pentium® 4 Processor  
256 MB PC-133 SDRAM (expandable to 512 MB max.)  
80 GB† ATA-100 Hard Disk Drive  
DVD-ROM Drive (16X max. DVD-ROM read, 6X max. DVD-R read,  
6X max. DVD-RW read, 32X max. CD-RW read,  
40X max. CD-ROM/CD-R read)  
CD-RW Drive (40X max. CD-ROM/CD-R read, 33.2X max. CD-RW read,  
16X max. CD-R write, 10X max. CD-RW write)  
nVIDIA® TNT2™ M64 (32MB) Graphics Acceleration  
Front and Rear i.LINK and USB Connectivity  
Analog Devices SoundMAX Integrated Digital Audio  
V.90 compatible Data/Fax Modem‡  
10Base-T/100Base-TX Fast Ethernet LAN Jack (RJ-45)

Limited Warranty and Express Service: 90 days, extendible to one year upon registration (restrictions apply).  
Technical Support: Available free of charge for 90 days after the original date of purchase (restrictions apply).

- \* i.LINK is a trademark of Sony used only to designate that the unit contains an IEEE1394 port. All products with an i.LINK port may not communicate with each other.
- \*\* GHz denotes microprocessor internal clock speed; other factors may affect application performance.
- † GB means one billion bytes when referring to hard drive capacity. Accessible capacity may vary.
- ‡ Due to FCC limitations, 53 Kbps is the maximum transmit power level permitted during download transmissions. Actual data speeds vary depending on the line conditions.

4-658-261-11

# PCV-RX570

## VAIO Digital Studio™ Computer

- **Bundled Accessories:**

VAIO Smart™ Keyboard

PS/2® Wheel Mouse

Stereo Speakers

Power Cord

Modem Cable

- **i.LINK® (IEEE1394) S400 interface\*** (supports high-speed digital video, audio, and data transfer capabilities between compatible Sony i.LINK products.)
- **Universal Serial Bus (USB) Ports**

1.8 GHz\*\* Intel® Pentium® 4 Processor

512 MB PC-133 SDRAM

80 GB† ATA-100 Hard Disk Drive

DVD-ROM Drive (16X max. DVD-ROM read, 6X max. DVD-R read,  
6X max. DVD-RW read, 40X max. CD-ROM read,  
40X max. CD-R read, 32X max. CD-RW read)

CD-RW Drive (40X max. CD-ROM/CD-R read, 33.2X max. CD-RW read  
16X max. CD-R write, 10X max. CD-RW write)

nVIDIA® TNT2™ M64 (32MB) Graphics Acceleration

Front and Rear i.LINK and USB Connectivity

Analog Devices SoundMAX Integrated Digital Audio

V.90 compatible Data/Fax Modem‡

10Base-T/100Base-TX Fast Ethernet LAN Jack (RJ-45)

Limited Warranty and Express Service: 90 days, extendible to one year upon registration (restrictions apply).

Technical Support: Available free of charge for 90 days after the original date of purchase (restrictions apply).

\* i.LINK is a trademark of Sony used only to designate that the unit contains an IEEE1394 port. All products with an i.LINK port may not communicate with each other.

\*\* GHz denotes microprocessor internal clock speed; other factors may affect application performance.

† GB means one billion bytes when referring to hard drive capacity. Accessible capacity may vary.

‡ Due to FCC limitations, 53 Kbps is the maximum transmit power level permitted during download transmissions. Actual data speeds vary depending on the line conditions.

4-658-259-11

# PCV-RX580

## VAIO Digital Studio™ Computer

- **Bundled Accessories:**

VAIO Smart™ Keyboard  
PS/2® Wheel Mouse  
Stereo Speakers  
Power Cord  
Modem Cable

- **i.LINK® (IEEE1394) S400 interface\*** (supports high-speed digital video, audio, and data transfer capabilities between Sony i.LINK products.)
- **Universal Serial Bus (USB) Ports**

1.8 GHz\*\* Intel® Pentium® 4 Processor  
512 MB PC-133 SDRAM  
80 GB† ATA-100 Hard Disk Drive  
DVD-RW Drive (4X max. DVD-ROM read, 2X max. DVD-R read/ write,  
2X max. DVD-RW read, 1X max. DVD-RW write,  
24X max. CD-ROM read, 8X max. CD-R write,  
16X max. CD-R read, 4X max. CD-RW write,  
16X max. CD-RW read)  
CD-ROM Drive (40X max. CD-ROM/CD-R read, 28X max. CD-RW read)  
nVIDIA® TNT2™ M64 (32MB) Graphics Acceleration  
Front and Rear i.LINK and USB Connectivity  
Analog Devices SoundMAX Integrated Digital Audio  
V.90 compatible Data/Fax Modem‡  
10Base-T/100Base-TX Fast Ethernet LAN Jack (RJ-45)

Limited Warranty and Express Service: 90 days, extendible to one year upon registration (restrictions apply).

Technical Support: Available free of charge for 90 days after the original date of purchase (restrictions apply).

\* i.LINK is a trademark of Sony used only to designate that the unit contains an IEEE1394 port. All products with an i.LINK port may not communicate with each other.

\*\* GHz denotes microprocessor internal clock speed; other factors may affect application performance.

† GB means one billion bytes when referring to hard drive capacity. Accessible capacity may vary.

‡ Due to FCC limitations, 53 Kbps is the maximum transmit power level permitted during download transmissions. Actual data speeds vary depending on the line conditions.